

# MegaPress 316



2.5



## MegaPress 316

Viega MegaPress 316 fittings are the industry's first stainless fittings for Schedule 5 to 40 piping systems. Save on labor cost and system downtime with press fittings in a wide variety of configurations, available in sizes from ½" to 4". Viega MegaPress 316 with an EPDM sealing element is suitable for use with chilled water, compressed air, potable water, marine applications and more. Not for use with fuel gas or fuel oil applications.

### FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a PBT separator ring for sizes 2½" to 4"
- 316 stainless carries an NSF-61 potable water rating
- Wide range of fitting configurations
- Eliminates threading and welding
- No fire watches, hot work permits or messy cutting oils
- Makes secure press connections on sizes from ½" to 4" in seconds
- Compatible with existing press tools
- Backed by limited written warranty

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot indicates an EPDM sealing element. Viega also offers a variety of valves for this product line, please check section 5.1 Valves for more details.

**Index**

|           |     |
|-----------|-----|
| Elbows    | 98  |
| Tees      | 99  |
| Adapters  | 100 |
| Flanges   | 101 |
| Caps      | 101 |
| Unions    | 102 |
| Couplings | 102 |
| Reducers  | 103 |

**Elbows**



**Viega MegaPress 90° elbow  
Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection  
Components  
 EPDM sealing elements, grip rings, separator rings  
**Model 5116**

| P1    | P2    | Wt [lb] | Quantity | Part No | DG |
|-------|-------|---------|----------|---------|----|
| 1/2   | 1/2   | 0.315   | 10       | 90005   | 14 |
| 3/4   | 3/4   | 0.422   | 10       | 90010   | 14 |
| 1     | 1     | 0.785   | 5        | 90015   | 14 |
| 1 1/4 | 1 1/4 | 1.247   | 1        | 90835   | 14 |
| 1 1/2 | 1 1/2 | 1.527   | 1        | 90020   | 14 |
| 2     | 2     | 2.081   | 1        | 90025   | 14 |



**Viega MegaPress 90° elbow  
Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection  
Components  
 EPDM sealing elements, grip rings, separator rings  
Note  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 5116XL**

| P1    | P2    | Wt [lb] | Quantity | Part No | DG |
|-------|-------|---------|----------|---------|----|
| 2 1/2 | 2 1/2 | 3.163   | 1        | 90500   | 14 |
| 3     | 3     | 4.783   | 1        | 90505   | 14 |
| 4     | 4     | 7.807   | 1        | 90510   | 14 |



**Viega MegaPress 90° street elbow  
Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection, street  
Components  
 EPDM sealing element, grip ring, separator ring  
**Model 5116.1**

| P1    | FTG (IPS) | Wt [lb] | Quantity | Part No | DG |
|-------|-----------|---------|----------|---------|----|
| 1/2   | 1/2       | 0.313   | 10       | 90030   | 14 |
| 3/4   | 3/4       | 0.413   | 10       | 90035   | 14 |
| 1     | 1         | 0.800   | 5        | 90040   | 14 |
| 1 1/4 | 1 1/4     | 1.225   | 1        | 90895   | 14 |
| 1 1/2 | 1 1/2     | 1.510   | 1        | 90045   | 14 |
| 2     | 2         | 2.122   | 1        | 90050   | 14 |



**Viega MegaPress 90° street elbow  
Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection, street  
Components  
 EPDM sealing element, grip ring, separator ring  
Note  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 5116.1XL**

| P     | FTG (IPS) | Wt [lb] | Quantity | Part No | DG |
|-------|-----------|---------|----------|---------|----|
| 2 1/2 | 2 1/2     | 3.253   | 1        | 90515   | 14 |
| 3     | 3         | 4.459   | 1        | 90520   | 14 |
| 4     | 4         | 7.469   | 1        | 90525   | 14 |



**Viega MegaPress 45° elbow  
Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection  
Components  
 EPDM sealing elements, grip rings, separator rings  
**Model 5126**

| P1    | P2    | Wt [lb] | Quantity | Part No | DG |
|-------|-------|---------|----------|---------|----|
| 1/2   | 1/2   | 0.266   | 10       | 90055   | 14 |
| 3/4   | 3/4   | 0.339   | 10       | 90060   | 14 |
| 1     | 1     | 0.639   | 5        | 90065   | 14 |
| 1 1/4 | 1 1/4 | 1.042   | 1        | 90840   | 14 |
| 1 1/2 | 1 1/2 | 1.228   | 1        | 90070   | 14 |
| 2     | 2     | 1.622   | 1        | 90075   | 14 |



**Viega MegaPress 45° elbow  
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

- EPDM sealing elements, grip rings, separator rings

**Model 5126XL**

| P1 | P2 | Wt [lb] | Quantity | Part No      | DG |
|----|----|---------|----------|--------------|----|
| 2½ | 2½ | 2.900   | 1        | <b>90530</b> | 14 |
| 3  | 3  | 3.542   | 1        | <b>90535</b> | 14 |
| 4  | 4  | 5.916   | 1        | <b>90540</b> | 14 |



**Viega MegaPress 45° street elbow  
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, street

Components

- EPDM sealing element, grip ring, separator ring

**Model 5126.1**

| P  | FTG (IPS) | Wt [lb] | Quantity | Part No      | DG |
|----|-----------|---------|----------|--------------|----|
| ½  | ½         | 0.271   | 10       | <b>90080</b> | 14 |
| ¾  | ¾         | 0.353   | 10       | <b>90085</b> | 14 |
| 1  | 1         | 0.648   | 5        | <b>90090</b> | 14 |
| 1¼ | 1¼        | 1.007   | 1        | <b>90900</b> | 14 |
| 1½ | 1½        | 1.232   | 1        | <b>90095</b> | 14 |
| 2  | 2         | 1.671   | 1        | <b>90100</b> | 14 |



**Viega MegaPress 45° street elbow  
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, street

Components

- EPDM sealing element, grip ring, separator ring

Note

- Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5126.1XL**

| P  | FTG (IPS) | Wt [lb] | Quantity | Part No      | DG |
|----|-----------|---------|----------|--------------|----|
| 2½ | 2½        | 2.290   | 1        | <b>90545</b> | 14 |
| 3  | 3         | 3.284   | 1        | <b>90550</b> | 14 |
| 4  | 4         | 5.455   | 1        | <b>90555</b> | 14 |

**Tees**



**Viega MegaPress tee  
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

- EPDM sealing elements, grip rings, separator rings

**Model 5118**

| P1 | P2 | P3 | Wt [lb] | Quantity | Part No      | DG |
|----|----|----|---------|----------|--------------|----|
| ½  | ½  | ½  | 0.432   | 5        | <b>90105</b> | 14 |
| ¾  | ¾  | ½  | 0.534   | 5        | <b>90130</b> | 14 |
| ¾  | ¾  | ¾  | 0.569   | 5        | <b>90110</b> | 14 |
| 1  | 1  | ½  | 0.866   | 5        | <b>90135</b> | 14 |
| 1  | 1  | ¾  | 0.891   | 5        | <b>90140</b> | 14 |
| 1  | 1  | 1  | 0.996   | 5        | <b>90115</b> | 14 |
| 1¼ | 1¼ | ½  | 1.311   | 1        | <b>90905</b> | 14 |
| 1¼ | 1¼ | ¾  | 1.342   | 1        | <b>90910</b> | 14 |
| 1¼ | 1¼ | 1  | 1.441   | 1        | <b>90915</b> | 14 |
| 1¼ | 1¼ | 1¼ | 1.600   | 1        | <b>90845</b> | 14 |
| 1½ | 1½ | ¾  | 1.536   | 1        | <b>90150</b> | 14 |
| 1½ | 1½ | 1  | 1.655   | 1        | <b>90155</b> | 14 |
| 1½ | 1½ | 1½ | 1.887   | 1        | <b>90120</b> | 14 |
| 2  | 2  | ¾  | 2.100   | 1        | <b>90165</b> | 14 |
| 2  | 2  | 1  | 2.191   | 1        | <b>90170</b> | 14 |
| 2  | 2  | 1½ | 2.407   | 1        | <b>90175</b> | 14 |
| 2  | 2  | 2  | 2.515   | 1        | <b>90125</b> | 14 |



**Viega MegaPress tee  
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5118XL**

| P1 | P2 | P3 | Wt [lb] | Quantity | Part No | DG |
|----|----|----|---------|----------|---------|----|
| 2½ | 2½ | 1½ | 3.035   | 1        | 90575   | 14 |
| 2½ | 2½ | 2  | 3.163   | 1        | 90580   | 14 |
| 2½ | 2½ | 2½ | 3.762   | 1        | 90560   | 14 |
| 3  | 3  | 1½ | 3.672   | 1        | 90590   | 14 |
| 3  | 3  | 2  | 3.963   | 1        | 90585   | 14 |
| 3  | 3  | 2½ | 4.312   | 1        | 90595   | 14 |
| 3  | 3  | 3  | 4.820   | 1        | 90565   | 14 |
| 4  | 4  | 1½ | 5.614   | 1        | 90600   | 14 |
| 4  | 4  | 2  | 5.979   | 1        | 90605   | 14 |
| 4  | 4  | 2½ | 6.387   | 1        | 90610   | 14 |
| 4  | 4  | 3  | 6.921   | 1        | 90615   | 14 |
| 4  | 4  | 4  | 8.221   | 1        | 90570   | 14 |



**Viega MegaPress tee  
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, female pipe thread

Components

EPDM sealing elements, grip rings, separator rings

**Model 5117.2**

| P1 | P2 | FPT | Wt [lb] | Quantity | Part No | DG |
|----|----|-----|---------|----------|---------|----|
| ¾  | ¾  | ½   | 0.525   | 5        | 90180   | 14 |
| ¾  | ¾  | ¾   | 0.551   | 5        | 90185   | 14 |
| 1  | 1  | ½   | 0.844   | 5        | 90190   | 14 |
| 1  | 1  | ¾   | 0.879   | 5        | 90195   | 14 |
| 1½ | 1½ | 1   | 1.719   | 1        | 90210   | 14 |
| 2  | 2  | ¾   | 2.081   | 1        | 90220   | 14 |



**Viega MegaPress tee  
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, female pipe thread

Components

EPDM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5117.2XL**

| P1 | P2 | FPT | Wt [lb] | Quantity | Part No | DG |
|----|----|-----|---------|----------|---------|----|
| 2½ | 2½ | ¾   | 2.477   | 1        | 90620   | 14 |
| 3  | 3  | ¾   | 3.066   | 1        | 90625   | 14 |
| 4  | 4  | ¾   | 4.595   | 1        | 90630   | 14 |

**Adapters**



**Viega MegaPress adapter  
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, male pipe thread

Components

EPDM sealing element, grip ring, separator ring

**Model 5111**

| P  | MPT | Wt [lb] | Quantity | Part No | DG |
|----|-----|---------|----------|---------|----|
| ½  | ½   | 0.207   | 10       | 90230   | 14 |
| ¾  | ½   | 0.270   | 10       | 90235   | 14 |
| ¾  | ¾   | 0.282   | 10       | 90240   | 14 |
| 1  | 1   | 0.465   | 5        | 90245   | 14 |
| 1¼ | 1¼  | 0.807   | 1        | 90880   | 14 |
| 1½ | 1½  | 0.983   | 1        | 90250   | 14 |
| 2  | 2   | 1.320   | 1        | 90255   | 14 |



**Viega MegaPress adapter  
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, male pipe thread

Components

EPDM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5111XL**

| P  | MPT | Wt [lb] | Quantity | Part No | DG |
|----|-----|---------|----------|---------|----|
| 2½ | 2½  | 1.686   | 1        | 90635   | 14 |
| 3  | 3   | 2.341   | 1        | 90640   | 14 |
| 4  | 4   | 4.170   | 1        | 90735   | 14 |



**Viega MegaPress adapter  
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection, female pipe thread

Components

EPDM sealing element, grip ring, separator ring

**Model 5112**

| P     | FPT   | Wt [lb] | Quantity | Part No | DG |
|-------|-------|---------|----------|---------|----|
| 1/2   | 1/2   | 0.229   | 10       | 90260   | 14 |
| 3/4   | 3/4   | 0.291   | 10       | 90265   | 14 |
| 1     | 1     | 0.538   | 5        | 90270   | 14 |
| 1 1/4 | 1 1/4 | 0.688   | 1        | 90885   | 14 |
| 1 1/2 | 1 1/2 | 0.893   | 1        | 90275   | 14 |
| 2     | 2     | 1.261   | 1        | 90280   | 14 |



**Viega MegaPress adapter  
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connections, female pipe thread

Components

EPDM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5112XL**

| P     | FPT   | Wt [lb] | Quantity | Part No | DG |
|-------|-------|---------|----------|---------|----|
| 2 1/2 | 2 1/2 | 1.829   | 1        | 90740   | 14 |
| 3     | 3     | 2.356   | 1        | 90745   | 14 |
| 4     | 4     | 3.478   | 1        | 90750   | 14 |

**Flanges**



**Viega MegaPress flange  
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

EPDM sealing element, grip ring, separator ring

**Model 5159**

| P     | BP | BPd   | Wt [lb] | Quantity | Part No | DG |
|-------|----|-------|---------|----------|---------|----|
| 1/2   | 4  | 2 3/8 | 1.326   | 1        | 90440   | 14 |
| 3/4   | 4  | 2 3/4 | 1.512   | 1        | 90445   | 14 |
| 1     | 4  | 3 1/8 | 2.089   | 1        | 90450   | 14 |
| 1 1/4 | 4  | 3 1/2 | 2.953   | 1        | 90920   | 14 |
| 1 1/2 | 4  | 3 3/8 | 3.725   | 1        | 90455   | 14 |
| 2     | 4  | 4 3/4 | 5.049   | 1        | 90460   | 14 |

BP = bolt pattern  
BPd = bolt pattern diameter



**Viega MegaPress flange  
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

EPDM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5159XL**

| P     | BP | BPd   | Wt [lb] | Quantity | Part No | DG |
|-------|----|-------|---------|----------|---------|----|
| 2 1/2 | 4  | 5 1/2 | 8.342   | 1        | 90720   | 14 |
| 3     | 4  | 6     | 9.709   | 1        | 90725   | 14 |
| 4     | 8  | 7 1/2 | 13.881  | 1        | 90730   | 14 |

BP = bolt pattern  
BPd = bolt pattern diameter

**Caps**



**Viega MegaPress cap  
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

EPDM sealing element, grip ring, separator ring

**Model 5156**

| P     | Wt [lb] | Quantity | Part No | DG |
|-------|---------|----------|---------|----|
| 1/2   | 0.172   | 10       | 90390   | 14 |
| 3/4   | 0.218   | 10       | 90395   | 14 |
| 1     | 0.379   | 5        | 90400   | 14 |
| 1 1/4 | 0.604   | 1        | 90875   | 14 |
| 1 1/2 | 0.703   | 1        | 90405   | 14 |
| 2     | 0.926   | 1        | 90410   | 14 |

2.5



**Viega MegaPress cap  
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

EPDM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5156.1XL**

| P  | Wt [lb] | Quantity | Part No      | DG |
|----|---------|----------|--------------|----|
| 2½ | 1.466   | 1        | <b>90705</b> | 14 |
| 3  | 1.695   | 1        | <b>90710</b> | 14 |
| 4  | 2.790   | 1        | <b>90715</b> | 14 |

**Unions**



**Viega MegaPress union  
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

Flat gasket EPDM, EPDM sealing elements, grip rings, separator rings

**Model 5160**

| P1 | P2 | Wt [lb] | Quantity | Part No      | DG |
|----|----|---------|----------|--------------|----|
| ½  | ½  | 0.624   | 5        | <b>90415</b> | 14 |
| ¾  | ¾  | 1.036   | 5        | <b>90420</b> | 14 |
| 1  | 1  | 1.342   | 1        | <b>90425</b> | 14 |
| 1¼ | 1¼ | 2.420   | 1        | <b>90925</b> | 14 |
| 1½ | 1½ | 2.468   | 1        | <b>90430</b> | 14 |
| 2  | 2  | 3.956   | 1        | <b>90435</b> | 14 |

**Couplings**



**Viega MegaPress coupling  
With stop**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

**Model 5115**

| P1 | P2 | Wt [lb] | Quantity | Part No      | DG |
|----|----|---------|----------|--------------|----|
| ½  | ½  | 0.227   | 10       | <b>90285</b> | 14 |
| ¾  | ¾  | 0.290   | 10       | <b>90290</b> | 14 |
| 1  | 1  | 0.505   | 5        | <b>90295</b> | 14 |
| 1¼ | 1¼ | 0.849   | 1        | <b>90850</b> | 14 |
| 1½ | 1½ | 1.018   | 1        | <b>90300</b> | 14 |
| 2  | 2  | 1.267   | 1        | <b>90305</b> | 14 |



**Viega MegaPress coupling  
With stop**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 5115XL**

| P1 | P2 | Wt [lb] | Quantity | Part No      | DG |
|----|----|---------|----------|--------------|----|
| 2½ | 2½ | 1.688   | 1        | <b>90645</b> | 14 |
| 3  | 3  | 2.429   | 1        | <b>90650</b> | 14 |
| 4  | 4  | 4.130   | 1        | <b>90655</b> | 14 |



**Viega MegaPress coupling  
No stop**

**Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 316 stainless steel
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

**Model 5115.5**

| P1 | P2 | Wt [lb] | Quantity | Part No      | DG |
|----|----|---------|----------|--------------|----|
| ½  | ½  | 0.224   | 10       | <b>90310</b> | 14 |
| ¾  | ¾  | 0.291   | 10       | <b>90315</b> | 14 |
| 1  | 1  | 0.502   | 5        | <b>90320</b> | 14 |
| 1¼ | 1¼ | 0.846   | 1        | <b>90855</b> | 14 |
| 1½ | 1½ | 1.001   | 1        | <b>90325</b> | 14 |
| 2  | 2  | 1.179   | 1        | <b>90330</b> | 14 |





**Viega MegaPress coupling**  
**No stop**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection  
**Components**  
 EPDM sealing element, grip rings, separator rings  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 5115.5XL**

| P1 | P2 | Wt [lb] | Quantity | Part No      | DG |
|----|----|---------|----------|--------------|----|
| 2½ | 2½ | 1.995   | 1        | <b>90660</b> | 14 |
| 3  | 3  | 2.446   | 1        | <b>90665</b> | 14 |
| 4  | 4  | 4.135   | 1        | <b>90670</b> | 14 |



**Viega MegaPress transition coupling**  
**Smart Connect Technology**  
 - For transitioning between IPS and CTS systems, use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection  
**Components**  
 EPDM sealing elements, grip ring, separator ring  
**Model 5113**

| P (IPS) | P (CTS) | Wt [lb] | Quantity | Part No      | DG |
|---------|---------|---------|----------|--------------|----|
| ½       | ½       | 0.214   | 1        | <b>90465</b> | 14 |
| ¾       | ¾       | 0.280   | 1        | <b>90470</b> | 14 |
| 1       | 1       | 0.425   | 1        | <b>90475</b> | 14 |
| 1¼      | 1¼      | 0.626   | 1        | <b>90890</b> | 14 |
| 1½      | 1½      | 0.804   | 1        | <b>90485</b> | 14 |
| 2       | 2       | 1.031   | 1        | <b>90490</b> | 14 |

**Reducers**



**Viega MegaPress reducer**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Street, press connection  
**Components**  
 EPDM sealing element, grip ring, separator ring  
**Model 5115.1**

| FTG (IPS) | P  | Wt [lb] | Quantity | Part No      | DG |
|-----------|----|---------|----------|--------------|----|
| ¾         | ½  | 0.238   | 5        | <b>90355</b> | 14 |
| 1         | ½  | 0.339   | 5        | <b>90360</b> | 14 |
| 1         | ¾  | 0.368   | 5        | <b>90365</b> | 14 |
| 1¼        | 1  | 0.694   | 1        | <b>90860</b> | 14 |
| 1½        | ¾  | 0.644   | 1        | <b>90370</b> | 14 |
| 1½        | 1  | 0.703   | 1        | <b>90375</b> | 14 |
| 1½        | 1¼ | 0.926   | 1        | <b>90865</b> | 14 |
| 2         | 1  | 0.915   | 1        | <b>90380</b> | 14 |
| 2         | 1½ | 1.126   | 1        | <b>90385</b> | 14 |



**Viega MegaPress reducer**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Street, press connection  
**Components**  
 EPDM sealing element, grip ring, separator ring  
**Note**  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 5115.1XL**

| FTG (IPS) | P  | Wt [lb] | Quantity | Part No      | DG |
|-----------|----|---------|----------|--------------|----|
| 2½        | 2  | 1.446   | 1        | <b>90675</b> | 14 |
| 3         | 2  | 1.843   | 1        | <b>90680</b> | 14 |
| 3         | 2½ | 1.962   | 1        | <b>90685</b> | 14 |
| 4         | 2  | 2.911   | 1        | <b>90690</b> | 14 |
| 4         | 2½ | 3.004   | 1        | <b>90695</b> | 14 |
| 4         | 3  | 3.280   | 1        | <b>90700</b> | 14 |



**Viega MegaPress reducer**  
**Smart Connect Technology**  
 - For use with Sch. 5 to Sch. 40 stainless steel pipe  
 - 316 stainless steel  
 - Press connection  
**Components**  
 EPDM sealing elements, grip rings, separator rings  
**Model 5115.2**

| P1 | P2 | Wt [lb] | Quantity | Part No      | DG |
|----|----|---------|----------|--------------|----|
| ¾  | ½  | 0.306   | 5        | <b>90335</b> | 14 |
| 1  | ¾  | 0.478   | 5        | <b>90340</b> | 14 |
| 1¼ | 1  | 0.789   | 1        | <b>90870</b> | 14 |
| 1½ | 1  | 0.855   | 1        | <b>90345</b> | 14 |
| 2  | 1½ | 1.281   | 1        | <b>90350</b> | 14 |

