

Connected in quality.

MARINE

SOLUTIONS

— IMPROVE YOUR BOTTOM LINE WITH VIEGA® PRESS TECHNOLOGY



Viega products can be pressed in seconds without having to flush the system, offering up to 90% labor savings over traditional joining methods. Commission on the first pass.



With no welding or soldering flames, fire watches are unnecessary. That means there's no need for additional manpower, plus you can avoid damaging nearby structure or utilities.



Viega is a trusted leader in press technology, so build with confidence. With a heritage of engineering press fittings for a variety of materials and strict quality control, you'll know you're getting the very best when you choose Viega.



Viega press fittings are simpler and safer to install than traditional methods. Installations can be made anywhere, in any condition ensuring a sound system on the first pass, speeding up the commissioning process.

viega

MEGAPRESS® CuNi

COPPER-NICKEL PRESS FITTINGS

SEALING ELEMENTS: FKM

OPERATING TEMPERATURE: 23°F TO 284°F

PRESSURE: 232PSI

SIZE: ½" – 4"

Now with NAVSEA approval, Viega MegaPress CuNi press fittings are made using a 90:10 copper-nickel alloy that is specifically designed for marine and industrial pipe joining applications to stand up to the harsh environments of the sea. The MegaPress CuNi system is approved for a variety of applications and provides an economical and reliable installation of Class 200 and Schedule 40 copper-nickel pipe.



MEGAPRESS® 316

316 STAINLESS STEEL PRESS FITTINGS

SEALING ELEMENTS: EPDM, FKM*

OPERATING TEMPERATURE: 14°F TO 284°F

PRESSURE: 232PSI

SCH: 10 - 40

SIZE: ½" – 4"

Designed for Iron Pipe Size (IPS) stainless steel, Viega MegaPress 316 stainless steel press fittings support more applications than ever before. From potable water to acid and cleaning agents, Viega MegaPress stainless stands up to the toughest jobs while keeping its appearance clean.

* FKM Sealing element available. Operating Temperature for MegaPress : 23°F to 284°F



MEGAPRESS® 304 FKM

304 STAINLESS STEEL PRESS FITTINGS

SEALING ELEMENTS: FKM

OPERATING TEMPERATURE: 23°F TO 284°F

PRESSURE: 232PSI

SCH: 10 - 40

SIZE: ½" – 4"

Viega MegaPress 304 FKM fittings are the industry's first stainless steel press fittings for Schedule 10 to 40 piping systems. MegaPress 304 with an FKM sealing element is suitable for chemical and higher-temperature applications.



MEGAPRESS[®]

CARBON STEEL PRESS FITTINGS

SEALING ELEMENTS: EPDM, HNBR, FKM

OPERATING TEMPERATURE: -40°F TO 284°F*

PRESSURE: 232PSI

SCH: 10 - 40

SIZE: ½" - 4"

Ideal for facility utility needs, the Viega MegaPress system is easy to use, flameless, and reliable. Most often used for fire sprinklers, hydronics, and compressed air, MegaPress leaves no joining material buildup, exposed threads or tarnish, creating a clean, professional appearance.

* FKM Sealing element available. Operating Temperature for MegaPress : 23°F to 284°F



PROGRESS[®]

COPPER PRESS FITTINGS

SEALING ELEMENTS: EPDM

OPERATING TEMPERATURE: 14°F TO 230°F

PRESSURE: 232PSI

SIZE: ½" - 4"

Viega ProPress is the proven solution for nearly any industrial, commercial or residential project. With choices in field-swappable sealing elements, system-matched tools, rings and jaws, press connections are made in seconds, making Viega ProPress suitable for many standard applications.



SEAPRESS[®]

90:10 METRIC PRESS FITTINGS

SEALING ELEMENTS: EPDM

OPERATING TEMPERATURE: 14°F TO 230°F

PRESSURE: 232PSI

SIZE: 15mm to 108mm

Viega SeaPress is a corrosion-resistant, 90:10 copper-nickel fitting system built especially for harsh environments. Coming in metric sizes, and with choices in field-swappable sealing elements, it can be used for a variety of marine and industrial applications and is stocked in North America.





MARINE CERTIFICATIONS

For a complete list of certifications and additional information please visit: viega.us/marine

- DNV-GL
- USCG
- BV
- LR
- RINA
- ASTM F3226
- NAVSEA
- ABS



LEARN MORE ABOUT OUR FULL LIST OF MARINE CERTIFICATIONS



VISIT VIEGA.US TO SEE A COMPLETE APPLICATIONS CHART

VIEGA® PRESS TECHNOLOGY

No other manufacturer can offer the same press technology across multiple piping systems.

This document is subject to updates. For the most current Viega literature please visit www.viega.us. The term Viega does not apply to a specific company within the various separate and distinct companies comprising the Viega group of companies. The term Viega as used in this publication refers to the Viega brand itself or generally to the Viega group of companies. References to activities in North America specifically refer to activities of Viega LLC. Viega products are designed to be installed by licensed and trained plumbing and mechanical professionals who are familiar with Viega products and their installation. Installation by non-professionals may void Viega LLC's warranty. ©2023, Viega®, MegaPress®, ProPress®, Smart Connect®, XL®, and Viega: Connected in quality® are trademarks of Viega Holding GmbH & Co. KG.

01892_EN_1022

Viega LLC
 585 Interlocken Blvd.
 Broomfield, CO 80021
 USA
 Phone (800) 976-9819
viega.us



SCAN WITH PHONE TO LEARN MORE

