

2202 2nd Avenue Regina, SK S4R 1K3 Canada 1 (866) 530-8599 info@tsask.ca www.tsask.ca

#### REGISTRATION OF A PRESSURE FITTING DESIGN

12-Apr-21

**AAOne** 

P. O. Box 91072 Burnhamthorpe Rd. Toronto, ON M9C 5N5

Attention: Emma Smith File Number: 11979 [ 0 F]

Re: Manufacturer: VIEGA Holding GmbH & Co. KG / Viega LLC

Item: ProPress - ProPress G and Propress Zero Lead (ZL)

Catalog or Drawing: Scope of CRN Registration - Category "C"

TSASK Codes and Standards Compliance has registered the design listed above in accordance with The Boiler and Pressure Vessel Act and Regulations and CSA B51. The Canadian Registration Number (CRN) is:

0C14541.53 Expiry Date: March 09, 2031

Please note that every fitting shall be constructed in strict accordance with the registered design.

Fitting registrations are required to be resubmitted for validation after ten (10) years from the registration date in accordance with CSA B51, Clause 4.2.1.

Should you require anything further, please do not hesitate to contact the Codes and Standards Compliance Office at your convenience.

Yours truly,

Williams Uju, P.Eng.

Codes and Standards Compliance

#### Remarks:

A valid quality control program must be maintained at the production facility for the fitting registration to remain valid until the expiry date.

The fitting can be maufacturered at the Germany and US locations.



Expiry Date: March 09, 2031 Codes & Standards Compliance Office 330 - 1855 Victoria Avenue

Regina, SK S4P 3T2 PH: (306)798-7112 Toll Free: (866)530-8599 FAX: (306)787-9273 Toll Free: (866)760-9255 Email: boilerpermits@tsask.ca Website: www.tsask.ca

# Statutory Declaration (Registration of Fittings)

TOI/ 4000

Declaration Information  J.P. Fay,  Manager Regulations  (company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority in the manufacturing plant where the fitting is produced)  of: Viega Holding GmbH & Co. KG  (name of manufacturer)  (plant Address – Apt/Street)  (city, Prov)  Comply with the requirements of ASME B31.3, B31.1, B31.9  (title of recognized North American Standard)  Materials of construction, pressure / temperature ratings and identification marking of the fittings, or  Are not covered by the provisions of a recognized North American standard and are therefore manufactor comply with  as supported by the att data which identifies the dimensions, materials of construction, pressure / temperature ratings and the for such ratings, and the marking of the fittings for identification.  further declare that the manufacturer of these fittings is controlled by a quality control program which has be rerified by the following authority,  MPA NRW  as being suitable for the manufacturery Company of the suitable for the suitable for the manufacturery of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, category C  In support of this application, the following information, calculations and / or test data are attached:  EDWINN S HOWARD NOTARY ID 20174004143  MY COMMISSION EXPIRES JANUARY  II. Declaration	
Manager Regulations (company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority in the manufacturing plant where the fitting is produced)  (fr. Viega Holding GmbH & Co. KG  (name of manufacturer)  (plant Address – Apt/Street) (city.Prov) (postal Code)  o solemnly declare that the fittings listed hereinunder, which are subject to the Saskatchewan Boiler and Fressel Safety Act (check one)  Comply with the requirements of ASME B31.3, B31.1, B31.9 (itile of recognized North American Standard) Materials of construction, pressure / temperature ratings and identification marking of the fittings, or  Are not covered by the provisions of a recognized North American standard and are therefore manufar to comply with  as supported by the attact which identifies the dimensions, materials of construction, pressure / temperature ratings and the for such ratings, and the marking of the fittings for identification.  further declare that the manufacturer of these fittings is controlled by a quality control program which has be erified by the following authority, MPA NRW  as being suitable for the manufacturer of these fittings covered by this declaration, for which I seek registration, integers of the support of this application, the following information, calculations and / or test data are attached:  EDWINAS HOWARD NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20174004143  MY COMMISSION EXPIRES JANUARY	
Manager Regulations  (company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority in the manufacturing plant where the fitting is produced)  f: Viega Holding GmbH & Co. KG  (name of manufacturer)  (plant Address – Apt/Street)  Cosolemnly declare that the fittings listed hereinunder, which are subject to the Saskatchewan Boiler and Foessel Safety Act (check one)  (comply with the requirements of ASME B31.3, B31.1, B31.9 which specifies the dimension of the fittings, or the provisions of a recognized North American Standard)  Materials of construction, pressure / temperature ratings and identification marking of the fittings, or the data which identifies the dimensions, materials of construction, pressure / temperature ratings and the for such ratings, and the marking of the fittings for identification.  further declare that the manufacturer of these fittings is controlled by a quality control program which has be serified by the following authority, MPA NRW as being suitable for the manufacturer of this application, the following information, calculations and / or test data are attached:  EDWINAS HOWARD NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20174004143  [MY COMMISSION EXPIRES JANUARY]	Official Cook
(must be in a position of authority in the manufacturing plant where the fitting is produced)  2. Viega Holding GmbH & Co. KG  (name of manufacturer)  (Plant Address – Apt/Street)  (City,Prov)  (City,Prov)  (Postal Code)  (Postal C	
(name of manufacturer)  (cated at: Viega Platz 1, 57439 Attendorn, Germany with its fact (Plant Address – Apt/Street) (City, Prov) (Postal Code)  (Postal C	iega
As ME B31.3, B31.1, B31.9  Are not covered by the provisions of a recognized North American standard and are therefore manufact to comply with identifies the dimensions, materials of construction, pressure / temperature ratings for such ratings, and the marking of the fittings for identification.  Are not covered by the provisions of a recognized North American standard and are therefore manufact to comply with data which identifies the dimensions, materials of construction, pressure / temperature ratings and the for such ratings, and the marking of the fittings for identification.  Are not covered by the provisions of a recognized North American standard and are therefore manufact to comply with as supported by the attemption as supported by the attemption of the fittings for identification.  Are not covered by the provisions of a recognized North American standard and are therefore manufact to comply with as supported by the attemption of the fittings for identification.  But the following and the manufacturer of these fittings is controlled by a quality control program which has be sufficied by the following authority,MPA NRW as being suitable for the manufacture of this application, the following information, calculations and / or test data are attached:  But the following and formation, the following information, calculations and / or test data are attached:  But the following information, calculations and / or test data are attached:  But the following information, calculations and / or test data are attached:  But the following information, calculations and / or test data are attached:  But the following information, calculations and / or test data are attached:  But the following information, calculations and / or test data are attached:  But the following information infor	
(Plant Address – Apt/Street) (City,Prov) (Postal Code) solemnly declare that the fittings listed hereinunder, which are subject to the Saskatchewan Boiler and Fissel Safety Act (check one)  Comply with the requirements of ASME B31.3, B31.1, B31.9 (title of recognized North American Standard) (title of recognized North American Standard) which specifies the dimension of the fittings of the fittings of a recognized North American standard and are therefore manufactor comply with as supported by the attempt of the fittings of the fittings for identification.  The recognized North American standard and are therefore manufactor of the second of the fittings for identification.  The recognized North American standard and are therefore manufactor of the second of the fittings for identification.  The recognized North American standard and are therefore manufactor of the second of the fittings for identification.  The fittings for identification.  The fittings is controlled by a quality control program which has been rified by the following authority, as being suitable for the manufactor of the stated standard. The fittings covered by this declaration, for which I seek registration, standard of the stated standard. The fittings covered by this declaration, for which I seek registration, standard of the stated are attached:  EDWINA S HOWARD NOTARY PUBLIC STATE OF COLORADO NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20174004143 MY COMMISSION EXPIRES JANUARY	
solemnly declare that the fittings listed hereinunder, which are subject to the Saskatchewan Boiler and Fessel Safety Act (check one)  Comply with the requirements of ASME B31.3, B31.1, B31.9 which specifies the dimension (title of recognized North American Standard)  Materials of construction, pressure / temperature ratings and identification marking of the fittings, or  Are not covered by the provisions of a recognized North American standard and are therefore manufact to comply with as supported by the att data which identifies the dimensions, materials of construction, pressure / temperature ratings and the for such ratings, and the marking of the fittings for identification.  Curther declare that the manufacturer of these fittings is controlled by a quality control program which has be rified by the following authority, MPA NRW as being suitable for the manufactures of the stated standard. The fittings covered by this declaration, for which I seek registration, stategory C  support of this application, the following information, calculations and / or test data are attached:  EDWINA S HOWARD NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20174004143 MY COMMISSION EXPIRES JANUARY	
Comply with the requirements of ASME B31.3, B31.1, B31.9 which specifies the dimensi (title of recognized North American Standard)  Materials of construction, pressure / temperature ratings and identification marking of the fittings, or  Are not covered by the provisions of a recognized North American standard and are therefore manufactor comply with as supported by the attemption of the fittings for identification.  Arther declare that the manufacturer of these fittings for identification.  Arther declare that the manufacturer of these fittings is controlled by a quality control program which has be rified by the following authority, MPA NRW as being suitable for the manufacturer of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, as tegory C  support of this application, the following information, calculations and / or test data are attached:  EDWINA S HOWARD NOTARY PUBLIC STATE OF COLORADO NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20174004143  MY COMMISSION EXPIRES JANUARY	
Materials of construction, pressure / temperature ratings and identification marking of the fittings, or  Are not covered by the provisions of a recognized North American standard and are therefore manufact to comply with	ressure
Materials of construction, pressure / temperature ratings and identification marking of the fittings, or  Are not covered by the provisions of a recognized North American standard and are therefore manufar to comply with	ions,
to comply with	
data which identifies the dimensions, materials of construction, pressure / temperature ratings and the for such ratings, and the marking of the fittings for identification.  In the declare that the manufacturer of these fittings is controlled by a quality control program which has be rified by the following authority, MPA NRW as being suitable for the manufacturer of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, at tegory C support of this application, the following information, calculations and / or test data are attached:  EDWINA S HOWARD NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20174004143  MY COMMISSION EXPIRES JANUARY	ctured
for such ratings, and the marking of the fittings for identification.  In the declare that the manufacturer of these fittings is controlled by a quality control program which has be rified by the following authority, MPA NRW as being suitable for the manufacturer of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, stegory C support of this application, the following information, calculations and / or test data are attached:    EDWINA S HOWARD NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20174004143 MY COMMISSION EXPIRES JANUARY	
as being suitable for the manufacturer of these fittings is controlled by a quality control program which has be rified by the following authority, MPA NRW as being suitable for the manufacturer of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, stegory C support of this application, the following information, calculations and / or test data are attached:    EDWINA S HOWARD NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20174004143 MY COMMISSION EXPIRES JANUARY	basis
rified by the following authority, MPA NRW as being suitable for the manuscripted by the stated standard. The fittings covered by this declaration, for which I seek registration, stegory C support of this application, the following information, calculations and / or test data are attached:  EDWINA S HOWARD NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20174004143  MY COMMISSION EXPIRES JANUARY	
cope of Registration, ProPress Copper/Bronze  NOTARY PUBLIC STATE OF COLORADO NOTARY ID 20174004143 MY COMMISSION EXPIRES JANUARY	are
Declaration	27, 2025
ECLARED before me at VIEGA LLC In the state of Colorado	
is 8th day of Fabruary, 2021  Edwina 5. Howard  (print name)  (Signature of Commissioner of Gaths)	
. Office Use Only the best of my knowledge and belief, the application meets the requirements of the Boiler and Pressure Vessel Safe SA B51, Clause 4.2, and is accepted for registration in Category	ety Act a
(Registration Number) (Date Registered – MM DD YYYY) (Expiry Date – MM DD Control of the Administrator / Chief Inspector)	
Registration No. 0C14541.53 File No. 11979  Registered Date: April 12, 2031	)·YYYY)



March 09, 2031

Codes & Standards Compliance Office

Expiry Date:

330 - 1855 Victoria Avenue

Regina, SK S4P 3T2 PH: (306)798-7112 Toll Free: (866)530-8599 FAX: (306)787-9273 Toll Free: (866)760-9255

Email: boilerpermits@tsask.ca Website: www.tsask.ca

### Statutory Declaration (Registration of Fittings)

TCK 4000

		15K-10
Declaration Information		
J.P. Fay,		In this space, show facsimile of
Manager Regulations		manufacturer's logo or trademark as it wil appear on the fitting.
(company title, e.g. vice president, p		Viego
(must be in a position of authority in the manufac	cturing plant where the fitting is produced)	Viega
VIEGA LLC	anufacturer)	_
cated at: 585 Interlocken Blvd	Broomfield CO	80021 with its facilities
(Plant Address – Apt/Street)	(City,Prov)	(Postal Code)
solemnly declare that the fittings listed hessel Safety Act (check one)	ereinunder, which are subject to the Sa	askatchewan Boiler and Pressure
Comply with the requirements of As	SME B31.3, B31.1, B31.9	which specifies the dimensions,
(t	itle of recognized North American Standard) temperature ratings and identification r	
Are not covered by the provisions of	a recognized North American standard	d and are therefore manufactured
to comply with	-	as supported by the attached
data which identifies the dimensions	, materials of construction, pressure / te	emperature ratings and the basis
for such ratings, and the marking of	the fittings for identification.	
urther declare that the manufacturer of th	ese fittings is controlled by a quality co	ntrol program which has been
rified by the following authority, MPA N	RW as	being suitable for the manufacturer
these fittings to the stated standard. The stegory C	e fittings covered by this declaration, fo	r which I seek registration, are
support of this application, the following	information, calculations and / or test d	ata are attached:
		EDWINA S HOWARD
cope of Registration, ProPress Co	pper/Bronze	NOTARY PUBLIC
		STATE OF COLORADO NOTARY ID 20174004143
	MY	COMMISSION EXPIRES JANUARY 27, 2025
Declaration		
ECLARED before me at VIEGA LLC	In the state	of Colorado
is 8th day of Fabruar	1/ , 2021	1 1
1	7 , 2021	1 1/90
Edwina S. Howard	(Signature)	
	and /	
(Signature of Commissioner of Oaths)	We V	
Office Head Only		
. Office Use Only the best of my knowledge and belief, the app	olication mosts the requirements of the <b>Roi</b>	ilor and Pressure Vessel Safety Act an
SA B51, Clause 4.2, and is accepted for regis		rel and ressure vesser outery not an
(Registration Number)	(Date Registered – MM DD YYYY)	(Expiry Date – MM DD YYYY)
Technical	(For the Administrator / Chief Inspec	ctor)
Safety Authority of Saskatchewan		
Registration No. 0C14541.53		,
File No		TSK- Rev. 10
Date: April 12, 2031		Page

# Scope of CRN Renewal Registration - Category "C" ProPress - ProPress G and ProPress Zero Lead (ZL)

Logo:	viega		
Product Catalog	704753-CAT-0110		
Product Catalog	724855_CAT_USA_0512		
Design Code:	ASME: B31.1, B31.3, B31.9		
Materials: Cooper ASTM B88(UNS C12200) Bronze ASTM B62 (UNS C83600),ASTM B124(UNS C87700)&(UNS C87710)			
Sizes – Design Pressure @Design Temp.	1/2", 3/4 ", 1", 11/4",1 1/2", 2		
Sizes XL – Design Pressure @Design Temp.	2 ½", 3", 4"		
Design Pressure	200psi @ Ambient Temp. 160psi @ Design Temp		
Design Temperature	250 °F		
O-RING	EPDM,FKM, HNBR		
Additional Germany locations stated under ISO Certificate 535734	Viega Holding GmbH & Co. KG		
Additional USA locations stated under ISO Certificate 13489	Viega LLC		

