

# PureFlow Crimp



3.2



## PureFlow Crimp

With the reliability and quality required for potable water, Viega PureFlow Crimp fittings are part of Viega's complete plumbing solution. Matched with the revolutionary Viega ManaBloc water distribution system and the highest-rated PEX tubing in the industry (according to industry standards), Viega PureFlow Crimp fittings are a time-tested method for joining PEX.

### FEATURES AND BENEFITS

- EcoBrass fittings provide better corrosion resistance than other brass fittings
- High-performance PolyAlloy fittings are made in the USA
- Peace of mind from durable materials and quality manufacturing
- Available in sizes  $\frac{3}{8}$ " to 1"
- Backed by a 25-year limited warranty

### ZERO LEAD

Zero Lead identifies Viega products meeting the lead-free requirements of NSF-61-372 through testing under NSF/ANSI/CAN 372 (0.25% or less maximum weighted average lead content).

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. Crimp rings are not sold with any PureFlow Crimp product unless otherwise specified.

**Index**

Tubing	144
Elbows	145
Tees	146
Adapters	146
Couplings	147
Manifolds	148
Stub-Outs	148
Lavatory adapters	149
Closet adapters	149
Outlet boxes	150
Accessories	150

**Tubing**



**Viega PureFlow PEX tubing**

- PEX
- Coil

Technical Data

PEX designation code 5306  
UV resistance 6 months

ASTM F876, ASTM F877

**Model V5001**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	100	red	5.000	1	32101 <sup>1</sup>	1
3/8	500	red	21.000	1	32105 <sup>1</sup>	1
1/2	100	red	5.800	1	32121 <sup>1</sup>	1
1/2	300	red	17.100	1	32123 <sup>1</sup>	1
1/2	500	red	28.000	1	32125 <sup>1</sup>	1
1/2	1000	red	58.000	1	32120 <sup>1</sup>	1
3/4	100	red	11.000	1	32141 <sup>1</sup>	1
3/4	300	red	32.100	1	32143 <sup>1</sup>	1
3/4	500	red	53.000	1	32145 <sup>1</sup>	1
1	100	red	16.900	1	33323 <sup>1</sup>	1
1	300	red	50.700	1	32163 <sup>1</sup>	1
1	500	red	88.000	1	32165	1

<sup>1)</sup> center pull coil



**Viega PureFlow PEX tubing**

- PEX
- Straight length

Technical Data

PEX designation code 5306  
UV resistance 6 months

ASTM F876, ASTM F877

**Model V5001.5**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	20	red	1.060	50	33120	1
3/4	20	red	2.040	25	33145	1
1	20	red	3.420	15	33270	1



**Viega PureFlow PEX tubing**

- PEX
- Coil

Technical Data

PEX designation code 5306  
UV resistance 6 months

ASTM F876, ASTM F877

**Model V5002**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	100	blue	5.000	1	32201 <sup>1</sup>	1
3/8	500	blue	21.000	1	32205 <sup>1</sup>	1
1/2	100	blue	5.300	1	32221 <sup>1</sup>	1
1/2	300	blue	17.100	1	32223 <sup>1</sup>	1
1/2	500	blue	26.500	1	32225 <sup>1</sup>	1
1/2	1000	blue	55.000	1	32220 <sup>1</sup>	1
3/4	100	blue	11.000	1	32241 <sup>1</sup>	1
3/4	300	blue	32.100	1	32243 <sup>1</sup>	1
3/4	500	blue	53.000	1	32245 <sup>1</sup>	1
1	100	blue	17.000	1	32266 <sup>1</sup>	1
1	300	blue	50.700	1	32263 <sup>1</sup>	1
1	500	blue	88.000	1	32265	1

<sup>1)</sup> center pull coil



**Viega PureFlow PEX tubing**

- PEX
- Straight length

Technical Data

PEX designation code 5306  
UV resistance 6 months

ASTM F876, ASTM F877

**Model V5002.5**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	20	blue	1.060	50	33240	1
3/4	20	blue	2.040	25	33265	1
1	20	blue	3.420	15	33271	1



**Viega PureFlow PEX tubing**

- For installation between studs
- PEX
- ManaPac

Components

Recycled plastic reels

Technical Data

PEX designation code 5306  
UV resistance 6 months

ASTM F876, ASTM F877

**Model V5004**

d	L [ft]	Reel(s)	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	1	blue	28.000	1	32905	1
3/8	500	1	red	28.000	1	32805	1
1/2	300	1	blue	23.100	1	32923	1
1/2	300	1	red	23.100	1	32823	1


**Viega PureFlow PEX tubing**

- PEX
- Coil
- Technical Data
- PEX designation code 5306
- UV resistance 6 months
- ASTM F876, ASTM F877
- Model V5003**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
¼	100	white	3.200	1	<b>32011</b>	1
¾	100	white	5.000	1	<b>32001</b> <sup>1</sup>	1
¾	500	white	21.000	1	<b>32005</b> <sup>1</sup>	1
½	100	white	6.000	1	<b>32021</b> <sup>1</sup>	1
½	300	white	17.100	1	<b>32023</b> <sup>1</sup>	1
½	500	white	28.000	1	<b>32025</b> <sup>1</sup>	1
½	1000	white	55.000	1	<b>32020</b> <sup>1</sup>	1
¾	100	white	11.000	1	<b>32041</b> <sup>1</sup>	1
¾	300	white	32.100	1	<b>32043</b> <sup>1</sup>	1
¾	500	white	53.000	1	<b>32045</b> <sup>1</sup>	1
1	100	white	17.000	1	<b>32061</b> <sup>1</sup>	1
1	300	white	51.900	1	<b>32063</b> <sup>1</sup>	1
1	500	white	88.000	1	<b>32065</b>	1
1¼	100	white	25.500	1	<b>32062</b>	1
1¼	300	white	76.500	1	<b>32042</b>	1
1½	100	white	35.300	1	<b>32064</b>	1
2	100	white	63.000	1	<b>32060</b>	1

<sup>1</sup> center pull coil

**Viega PureFlow PEX tubing**

- PEX
- Straight length
- Technical Data
- PEX designation code 5306
- UV resistance 6 months
- ASTM F876, ASTM F877
- Model V5003.5**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
½	20	white	1.080	50	<b>33020</b>	1
¾	20	white	2.060	25	<b>33045</b>	1
1	20	white	3.420	15	<b>33061</b>	1
1¼	20	white	5.100	1	<b>35801</b>	1
1½	20	white	7.060	5	<b>35805</b>	1
2	20	white	12.600	5	<b>35811</b>	1


**Viega PureFlow PEX tubing Sleeved**

- PEX
- Coil
- Note
- HDPE sleeve
- ASTM F876, ASTM F877
- Model V5001.2**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
½	100	white	12.000	1	<b>33830</b>	1
¾	100	white	19.000	1	<b>33831</b>	1
1	100	white	32.000	1	<b>33832</b>	1

**Elbows**

**Viega PureFlow Crimp 90° elbow**

- PolyAlloy
- Crimp connection
- Model V5216**

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
¾	¾	0.007	50	<b>43210</b>	3
½	½	0.010	50	<b>43220</b>	3
¾	½	0.016	25	<b>43242</b>	3
¾	¾	0.021	250	<b>43240</b>	3
1	1	0.046	10	<b>43260</b>	3


**Viega PureFlow Crimp 90° elbow Zero Lead**

- For use with Viega PureFlow PEX
- Brass
- Crimp connection, male pipe thread
- Model V5014ZL**

Crimp	MPT	Wt [lb]	Quantity	Part No	DG
½	¾	0.140	10	<b>46232</b>	2
½	½	0.207	10	<b>46821</b>	2


**Viega PureFlow Crimp 90° elbow Drop ear Zero Lead**

- Brass
- Crimp connection, female pipe thread
- Model V5027ZL**

Crimp	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.182	10	<b>46233</b>	2
¾	¾	0.288	10	<b>46244</b>	2



**Viega PureFlow Crimp 90° elbow**  
 - Copper  
 - Crimp connection, female copper tube size  
**Model V5021**

Crimp	C	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.048	50	<b>44325</b>	2
3/4	3/4	0.111	25	<b>44345</b>	2



**Viega PureFlow Crimp 90° elbow**  
 - Copper  
 - Crimp connection, street  
**Model V5020**

Crimp	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.045	50	<b>44320</b>	2
3/4	3/4	0.094	25	<b>44340</b>	2

### Tees



**Viega PureFlow Crimp tee**  
 - PolyAlloy  
 - Crimp connection  
**Model V5218**

Crimp1	Crimp2	Crimp3	Wt [lb]	Quantity	Part No	DG
3/8	3/8	3/8	0.010	50	<b>43500</b>	3
1/2	1/2	1/2	0.014	50	<b>43520</b>	3
1/2	1/2	3/4	0.019	25	<b>43334</b>	3
3/4	1/2	1/2	0.021	25	<b>43433</b>	3
3/4	1/2	3/4	0.026	25	<b>43434</b>	3
3/4	3/4	1/2	0.023	25	<b>43443</b>	3
3/4	3/4	3/4	0.029	25	<b>43540</b>	3
3/4	3/4	1	0.038	10	<b>43445</b>	3
1	3/4	3/4	0.047	10	<b>43544</b>	3
1	3/4	1	0.054	10	<b>43545</b>	3
1	1	1/2	0.043	10	<b>43553</b>	3
1	1	3/4	0.046	10	<b>43554</b>	3
1	1	1	0.050	10	<b>43560</b>	3

### Adapters



**Viega PureFlow Crimp adapter Zero Lead**  
 - Brass  
 - Crimp connection, male pipe thread  
**Model V5011ZL**

Crimp	MPT	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.102	50	<b>46302</b>	2
1/2	1/2	0.101	50	<b>46321</b>	2
1/2	3/4	0.141	25	<b>46324</b>	2
3/4	1/2	0.096	25	<b>46342</b>	2
3/4	3/4	0.147	25	<b>46340</b>	2
3/4	1	0.216	10	<b>46446</b>	2
1	3/4	0.155	10	<b>46361</b>	2
1	1	0.236	10	<b>46366</b>	2



**Viega PureFlow Crimp adapter Zero Lead**  
 - Brass  
 - Crimp connection, female pipe thread  
**Model V5012ZL**

Crimp	FPT	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.094	25	<b>46323</b>	2
1/2	1/2	0.090	25	<b>46333</b>	2
1/2	3/4	0.143	25	<b>46334</b>	2
3/4	3/4	0.147	25	<b>46344</b>	2
3/4	1	0.231	10	<b>46345</b>	2
1	1	0.234	10	<b>46355</b>	2



**Viega PureFlow Crimp adapter Zero Lead**  
 - Brass  
 - Crimp connection, polybutylene (PB) connection  
 - Does not include crimp ring

Crimp	PB	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.023	100	<b>46620</b>	2
1/2	1/2	0.031	100	<b>46630</b>	2
3/4	3/4	0.056	50	<b>46641</b>	2
1	1	0.083	10	<b>46650</b>	2

**Note**

Use Viega PureFlow Crimp ring model V5019.9 for PB connection.

**Model V5017ZL**



**Viega PureFlow Crimp adapter Zero Lead**  
 - Brass  
 - Crimp connection, polyethylene (PE) connection

**Note**

Use standard stainless steel hose clamp for PE connection (not included)

**Model V5047ZL**

Crimp	PE	Wt [lb]	Quantity	Part No	DG
3/4	3/4	0.111	25	<b>46145</b>	2
1	1	0.166	10	<b>46156</b>	2



**Viega PureFlow Crimp adapter Zero Lead**  
 - Copper  
 - Crimp connection, female copper tube size

**Model V5045ZL**

Crimp	C	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.035	50	<b>46635</b>	2
3/4	3/4	0.082	25	<b>46644</b>	2
1	1	0.108	10	<b>40655<sup>1</sup></b>	2

<sup>1)</sup> copper



**Viega PureFlow Crimp adapter Zero Lead**  
 - Copper  
 - Crimp connection, street

**Model V5046ZL**

Crimp	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.038	50	<b>46633</b>	2
3/4	3/4	0.067	25	<b>46644</b>	2
1	1	0.103	10	<b>60651<sup>1</sup></b>	2

<sup>1)</sup> copper



**Viega PureFlow Crimp adapter Zero Lead**  
 - Brass  
 - Crimp connection, female copper tube size, street

**Note**

Copper connection can be used as either male or female connection.

**Model V5024ZL**

Crimp	C	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
3/8	3/8	1/2	0.036	50	<b>46622</b>	2
1	3/4	1	0.184	10	<b>46654</b>	2

**Couplings**



**Viega PureFlow Crimp coupling**  
 - PolyAlloy  
 - Crimp connection

**Model V5215**

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.006	800	<b>43033</b>	3
3/4	3/4	0.012	500	<b>43044</b>	3
3/4	1/2	0.010	500	<b>43043</b>	3
3/8	3/8	0.004	50	<b>43402</b>	3
1/2	1/2	0.006	100	<b>43403</b>	3
1/2	3/8	0.006	50	<b>43332</b>	3
3/4	1/2	0.010	50	<b>43343</b>	3
3/4	3/4	0.012	50	<b>43404</b>	3
1	1/2	0.019	10	<b>43353</b>	3
1	3/4	0.021	10	<b>43354</b>	3
1	1	0.024	10	<b>43355</b>	3



**Viega PureFlow Crimp test plug**  
 - PLS  
 - Crimp connection

**Model V5058**

Crimp	Wt [lb]	Quantity	Part No	DG
3/8	0.003	100	<b>43702</b>	3
1/2	0.004	100	<b>43723</b>	3
3/4	0.007	50	<b>43744</b>	3
1	0.015	50	<b>43765</b>	3



**Viega PureFlow Crimp transition coupling  
Smart Connect Technology  
Zero Lead**

- For transitioning between Viega PureFlow Crimp and Viega ProPress
- Bronze
- Crimp connection, press connection

Components

EPDM sealing element

Note

PureFlow Crimp and ProPress tool and press jaws required

**Model 5013PZL**

Crimp	P	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.064	25	<b>44350</b>	5
1/2	3/4	0.102	25	<b>44355</b>	5
3/4	1/2	0.071	25	<b>44360</b>	5
3/4	3/4	0.100	25	<b>44365</b>	5
1	1	0.150	5	<b>44370</b>	5

**Manifolds**



**Viega PureFlow Crimp manifold**

- Only use with lock clip Part No 58075
- PolyAlloy
- Crimp connection
- Flow through
- Does not include mounting hardware

**Model V5031.2**

Outlet(s)	Crimp1	Crimp2	Crimp3	Wt [lb]	Quantity	Part No	DG
2	3/4	3/4	1/2	0.135	10	<b>65152</b>	2
3	3/4	3/4	1/2	0.197	10	<b>65153</b>	2
4	3/4	3/4	1/2	0.249	10	<b>65154</b>	2
4	1	3/4	1/2	0.252	10	<b>65254*</b>	2
8	1	1	1/2	0.396	5	<b>65258</b>	2

\* = Available while supplies last



**Viega PureFlow Crimp manifold**

- Only use with lock clip Part No 58075
- PolyAlloy
- Crimp connection
- Closed
- Does not include mounting hardware

**Model V5031.22**

Outlet(s)	Crimp1	Crimp2	Crimp3	Wt [lb]	Quantity	Part No	DG
4	closed	3/4	1/2	0.246	10	<b>65104</b>	2
6	closed	1	1/2	0.343	10	<b>65206</b>	2

**Stub-Outs**



**Viega PureFlow Crimp 90° stub-out**

- Copper
- Crimp connection, street

**Model V5070**

Crimp FTG (CTS)	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
3/8	1/2	3 1/2	8	0.248	50	<b>44208</b>
1/2	1/2	3 1/2	6	0.216	50	<b>44226</b>
1/2	1/2	3 1/2	8	0.263	50	<b>44228</b>
3/4	3/4	3 1/2	8	0.469	50	<b>44240</b>



**Viega PureFlow Crimp 90° stub-out**

- Copper
- Crimp connection, street

Components

Wall plate

**Model V5070.1**

Crimp FTG (CTS)	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
3/8	1/2	3 1/2	8	0.305	25	<b>44209</b>
1/2	1/2	3 1/2	6	0.261	25	<b>44227</b>
1/2	1/2	3 1/2	8	0.309	25	<b>44229</b>



**Lavatory adapters**



**Viega PureFlow Crimp lavatory adapter Zero Lead**  
 - Brass  
 - Crimp connection, lavatory connection  
Components  
 Plastic nut  
**Model V5075ZL**

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.059	5	<b>46023</b>	2
1/2	1/2	0.058	5	<b>46033</b>	2



**Viega PureFlow Crimp lavatory adapter**  
 - Equipped with ferrule Part No 53005, Viega PureFlow Crimp ring Model V5019.9  
 - Brass  
 - Crimp connection, compression  
Components  
 Brass ferrule  
**Model V5077ZL**

Crimp	CTS	Wt [lb]	Quantity	Part No	DG
3/8	1/4	0.120	1	<b>46032</b>	2
1/2	1/4	0.115	1	<b>46331</b>	2



**Viega PureFlow Crimp lavatory adapter**  
 - PolyAlloy  
 - Crimp connection, lavatory connection  
**Model V5263**

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.025	25	<b>43323</b>	3
1/2	1/2	0.025	25	<b>43333</b>	3
3/4	3/4	0.045	10	<b>43344</b>	3



**Viega PureFlow Crimp 90° lavatory elbow**  
 - PolyAlloy  
 - Crimp connection, lavatory connection  
Components  
 Plastic nut  
**Model V5255**

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.027	50	<b>43232</b>	3
1/2	1/2	0.029	50	<b>43233</b>	3
3/4	3/4	0.053	25	<b>43244</b>	3



**Cone seal**  
 - Spare part for Viega PureFlow Crimp stop valve straight Model V5036.30, Viega PureFlow Crimp lavatory adapter Model V5075ZL, Viega PureFlow Crimp 90° lavatory elbow Model V5255, Viega PureFlow Crimp lavatory adapter Model V5263, Viega PureFlow Press lavatory adapter Model V5613.3  
**Model V5084.1**

d	Wt [lb]	Quantity	Part No	DG
1/2	0.002	100	<b>43721</b>	2
3/4	0.003	100	<b>43740</b>	2

**Closet adapters**



**Viega PureFlow Crimp closet adapter Zero Lead**  
 - Brass  
 - Crimp connection, closet connection  
Components  
 Plastic nut  
**Model V5072ZL**

Crimp	Closet	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.085	5	<b>46223*</b>	2

\* = Available while supplies last



**Viega PureFlow Crimp closet adapter**  
 - PolyAlloy  
 - Crimp connection, closet connection  
Components  
 Plastic nut  
**Model V5257**

Crimp	Closet	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.036	5	<b>43300</b>	3
1/2	1/2	0.040	5	<b>43320</b>	3



**Cone seal**  
 - Spare part for Viega PureFlow Crimp closet adapter Model V5072ZL, V5257, Viega PureFlow Press closet adapter Model V5613.4  
**Model V5084**

d	Wt [lb]	Quantity	Part No	DG
1/2	0.004	100	<b>43820</b>	2



**Viega PureFlow Crimp swivel connector**  
 - For water heater  
 - Copper  
 - Crimp connection, female pipe thread  
**Model V5048ZL**

Crimp	FPT	L [in]	Wt [lb]	Quantity	Part No	DG
3/4	3/4	18	0.554	25	<b>46764</b>	2

**Outlet boxes**



**Viega PureFlow Crimp outlet box Zero Lead**  
 - For ice maker  
 - Brass  
Components  
 1/4 turn brass valve, water hammer arrestor  
**Model 2872.8ZL**

Crimp	Wt [lb]	Quantity	Part No	DG
3/8	1.060	1	<b>46710*</b>	2
1/2	0.965	1	<b>46720</b>	2

\* = Available while supplies last



**Viega PureFlow Crimp outlet box Zero Lead**  
 - For washing machine  
 - Color coded handles  
Components  
 (2) 1/4 turn brass valves, water hammer arrestors  
**Model 2872.9ZL**

Crimp	Wt [lb]	Quantity	Part No	DG
1/2	1.819	1	<b>46730</b>	2



**Viega PureFlow Crimp outlet box Zero Lead**  
 - For ice maker  
Components  
 1/4 turn brass valve  
**Model V5073**

Crimp	Wt [lb]	Quantity	Part No	DG
3/8	0.875	1	<b>43700</b>	2
1/2	0.880	1	<b>43722</b>	2



**Viega PureFlow Crimp outlet box Zero Lead**  
 - For washing machine  
 - Various  
 - Color coded handles  
Components  
 (2) 1/4 turn brass valves  
**Model V5073.5**

Crimp	Wt [lb]	Quantity	Part No	DG
1/2	1.625	1	<b>43720</b>	2



**Tubing**  
 - Only for cold water applications  
 - For ice maker  
 - High density polyethylene (HDPE)  
Note  
 1/4" OD  
**Model V5052**


d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/8	100	white	1.200	1	<b>43100</b>	1

**Accessories**




**Viega PureFlow Crimp ring**  
 - Only for Viega PureFlow Crimp fittings, Viega PureFlow Crimp tools  
 - Copper  
**Model V5019.9**

d	Wt [lb]	Quantity	Part No	DG
3/8	0.011	100	<b>43600</b>	2
1/2	0.013	100	<b>43620</b>	2
3/4	0.018	100	<b>43640</b>	2
1	0.022	50	<b>43660</b>	2




**Lavatory riser**  
 - Does not include lavatory nut Model V5089  
 - Equipped with ferrule Model V5085  
 - PEX  
**Model V5080**

CTS	O.D.	L [in]	Wt [lb]	Quantity	Part No	DG
¼	¾	20	0.046	100	<b>58120</b>	2
¼	¾	30	0.068	100	<b>58130</b>	2
¼	¾	36	0.085	100	<b>58136</b>	2




**Closet riser**  
 - Does not include ballcock nut Model V5089.1  
 - Equipped with ferrule Model V5085  
 - PEX  
**Model V5081**

CTS	O.D.	L [in]	Wt [lb]	Quantity	Part No	DG
¼	¾	12	0.031	100	<b>57112</b>	2
¼	¾	20	0.050	100	<b>57120</b>	2




**Lavatory nut**  
 - Suitable for lavatory riser Model V5080  
**Model V5089**

FPT	Wt [lb]	Quantity	Part No	DG
½	0.017	100	<b>33705</b>	2




**Ballcock nut**  
 - Suitable for closet riser Model V5081  
 - Plastic  
**Model V5089.1**

FPT	Wt [lb]	Quantity	Part No	DG
¾	0.023	100	<b>53017</b>	2



**Ferrule**  
 - For Viega ManaBloc compression connections, risers, Valves  
 - Plastic  
**Model V5085**

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
⅛	¼	0.001	100	<b>53000</b>	2
¼	¾	0.001	100	<b>53005</b>	2
¾	½	0.001	50	<b>53015</b>	2
½	¾	0.001	100	<b>53020</b>	2




**Insert stiffener**  
 - For Viega ManaBloc compression connections, risers  
 - Stainless steel  
**Model V5086**

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
¾	½	0.003	50	<b>56110</b>	2
½	¾	0.005	50	<b>56120</b>	2
¾	7/8	0.010	50	<b>56140</b>	2




**Escutcheon Single**  
 - Not suitable for Viega FostaPEX  
 - Plastic  
**Model V5088**

d	Version	Wt [lb]	Quantity	Part No	DG
¾	white	0.012	50	<b>53115</b>	2
½	white	0.012	50	<b>53120</b>	2



**Escutcheon Double**  
 - Not suitable for Viega FostaPEX  
 - Plastic  
**Model V5088.1**

d	Version	Wt [lb]	Quantity	Part No	DG
¾	white	0.017	25	<b>53116</b>	2
½	white	0.016	25	<b>53121</b>	2



**Sleeve**  
 - Not suitable for use with Viega FostaPEX  
 - Chrome-plated brass  
 - Finishing  
**Model 2800.5US**

d	L [in]	Wt [lb]	Quantity	Part No	DG
¾	3½	0.041	10	<b>52500</b>	2
½	3½	0.058	10	<b>52520</b>	2



**Bracket**

- For mounting on 16" center studs
  - Use with bend support snap in Model 2850.3US, tubing clamp stub-out Model V5041.2
  - Steel
  - Mounting holes on 2" centers
- Model 2850.4US**

d	L [in]	Wt [lb]	Quantity	Part No	DG
½	18	0.564	50	<b>51022</b>	2



**Tubing clamp Stub-out**

- Use with bracket Model 2850.4US
  - Plastic
- Model V5041.2**

for d	Wt [lb]	Quantity	Part No	DG
½	0.060	50	<b>45770</b>	2



**Bend support Snap in**

- Not suitable for Viega FostaPEX
  - Suitable for bracket Model 2850.4US
  - Plastic
- Model 2850.3US**

for d	Wt [lb]	Quantity	Part No	DG
½	0.079	100	<b>51021</b>	2



**Bend support Drop ear**

- Not suitable for Viega FostaPEX
  - Plastic-coated steel
- Model 2850.1US**

for d	Wt [lb]	Quantity	Part No	DG
⅝, ½	0.198	25	<b>50520</b>	2



**Bend support**

- Not suitable for Viega FostaPEX
  - Plastic
- Model 2850.2US**

for d	Wt [lb]	Quantity	Part No	DG
½	0.083	25	<b>51020</b>	2
⅝, ¾	0.154	25	<b>51040</b>	2
1	0.258	25	<b>51060</b>	2



**Bend support**

- For in slab applications
  - Not suitable for Viega FostaPEX
  - Plastic
- Model 2851US**

for d	Wt [lb]	Quantity	Part No	DG
⅝	0.075	10	<b>15106</b>	4
½	0.127	10	<b>15107</b>	4
⅝, ¾	0.190	10	<b>15108</b>	4



**Tubing clamp Turn out**

- For ⅝" tubing and ½" tubing with standard or stub-out elbows
  - Not suitable for Viega FostaPEX
  - Plastic
  - Trim tapered tip to use with ½" tubing
- Model V5071**

max d	Wt [lb]	Quantity	Part No	DG
½	0.076	25	<b>52130</b>	2



**J-clamp tubing fastener**

- Plastic
- Components
- Nail

**Model 2860US**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.006	100	<b>52000</b>	2
1/2	0.008	100	<b>52020</b>	2
3/4	0.013	100	<b>52040</b>	2
1	0.021	100	<b>52060</b>	2



**Economy PEX tubing clamp**

- Not suitable for Viega FostaPEX
- Plastic

**Model V5095**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.002	100	<b>52110</b>	2
1/2	0.003	100	<b>52120</b>	2
3/4	0.004	50	<b>52140</b>	2



**Lock clip**

- Plastic

**Model 2863US**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.009	100	<b>58071</b>	2
1/2	0.013	100	<b>58072<sup>1</sup></b>	2
3/4	0.009	50	<b>58073</b>	2
1	0.020	50	<b>58074</b>	2

<sup>1</sup> Suitable for Viega Barrier PEX tubing Part No 11445, 11450



**U-channel fastener**

- Plastic
- Pre-drilled holes

**Model 2864US**

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	6 1/2	1.029	16	<b>15310</b>	4



**Suspension clip tubing fasteners**

- Plastic

**Model 2861US**

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.010	50	<b>55020</b>	2
3/4	0.012	50	<b>55040</b>	2



**Tubing insulator**

- Plastic
- Fits 1 3/8" hole

**Model V5094**

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.018	50	<b>55100</b>	2
1/2	0.019	50	<b>55120</b>	2
3/4	0.013	50	<b>55140</b>	2
1	0.013	50	<b>55160</b>	2



**Zip tie**

- Plastic

**Model V5097**

L [in]	Wt [lb]	Quantity	Part No	DG
14	0.013	100	<b>43714</b>	2

**3.2**

