# **Tech Data**

# Viega Stainless Manifold Shut-Off / Balancing

#### **Description**


Stainless manifolds are to be used in closed loop hydronic heating, cooling, and snow melting systems. These preassembled 1¼" diameter stainless supply and return manifolds come attached to two 65%" spacing brackets for compact remote mounting. This stainless manifold provides shut-off and balancing valves for each circuit. Manifolds allow flow rates up to 2 gpm per circuit, maximum of 18 gpm per manifold. The air bleeder and purge valve are connected and factory tested. The manifold has 1¼" union connections and 1" NPT removable end caps. SVC circuit connection fittings are sold separately.

## **Specifications**

- 1¼" 304 stainless header stock
- Factory installed air bleeder
- Mounting brackets
- Max. Operating Temperature: 180° F (short periods of 200° F)

Max. Operating Pressure: 100 psi
Return Valve C<sub>V</sub>: 2.98
Supply Valve C<sub>V</sub>: 3.35

The return manifold is fitted with shut-off valves which are suitable to receive optional 24V (part number 15070, 15069) or 0-10V (part number 15068) powerheads for control over each circuit via thermostat.



<sup>\*</sup> When extending the manifold, Viega requires using thread sealant paste on the 1" NPT manifold end connection.

## **Dimensions**

Manifold	Width Just Manifold (in)	Width With Ball Valve Set and Adapter Fitting (in)	Valve Set and
2 outlets	8.71	12.96	14.96
3 outlets	10.7	14.95	16.95
4 outlets	12.7	16.95	18.95
5 outlets	14.6	18.85	20.85
6 outlets	16.6	20.85	22.85
7 outlets	18.6	22.85	24.85
8 outlets	20.5	24.75	26.75
9 outlets	22.5	26.75	28.75
10 outlets	24.5	28.75	30.75
11 outlets	26.4	30.65	32.65
12 outlets	28.4	32.65	34.65
Height	12.1		
Depth	3.6		
Depth with ball valve set handles	4.26		

Viega products are designed to be installed by licensed and trained plumbing and mechanical professionals who are familiar with Viega products and their installation. Installation by non-professionals may void Viega LLC's warranty.



This document is subject to updates. For the most current Viega technical literature please visit <a href="https://www.viega.us">www.viega.us</a>.



Phone (800) 976-9819 www.viega.us

