

# MegaPressG



2.2

## MegaPressG

Viega MegaPressG with an HNBR sealing element is the first press fitting system for carbon steel pipe approved for use in gas and fuel oil applications. Viega MegaPressG is ideal for industrial, commercial and residential applications and performs well in both new installations and retrofit projects. Tested to the strictest standards in North America, Viega MegaPressG joins carbon steel pipe reliably through the engineered design of the fittings and a battery-powered press tool. Not approved for use with potable water.

### FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a graphite separator ring for sizes 2½" to 4"
- Approved for more applications than any other carbon steel pipe press fitting system
- Suitable for use with ASTM Schedule 10 to Schedule 40 carbon steel pipe in accordance with AHJ requirements
- Corrosion-resistant zinc nickel coating
- More than 200 different engineered fitting configurations
- Approved for underground applications, in accordance with code and local AHJ
- The same hanger and support requirements as threaded systems
- Viega Smart Connect technology provides installers added confidence in their ability to ensure secure connections
- Viega MegaPressG Fittings are now listed to UL 180 fuel gas standard for Combustible Liquid Tank Accessories which allows MegaPressG fittings to be installed on combustible liquid (heating) fuel piping systems (supply and fill/vent).

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A yellow dot indicates an HNBR sealing element. Viega also offers a variety of valves for this product line, please check section 5.1 Valves for more details.

**Index**

Elbows	68
Tees	69
Adapters	70
Flanges	71
Caps	72
Unions	72
Couplings	73
Reducers	74

**Elbows**



**Viega MegaPressG 90° elbow  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

**Model 6616**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.370	10	<b>25201</b>	12
3/4	3/4	0.503	10	<b>25206</b>	12
1	1	0.811	5	<b>25211</b>	12
1 1/4	1 1/4	1.278	1	<b>25216</b>	12
1 1/2	1 1/2	1.708	1	<b>25221</b>	12
2	2	2.541	1	<b>25226</b>	12



**Viega MegaPressG 90° elbow  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6616XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.306	1	<b>28600</b>	12
3	3	4.668	1	<b>28605</b>	12
4	4	7.597	1	<b>28610</b>	12



**Viega MegaPressG 90° street elbow  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components

HNBR sealing element, grip ring, separator ring

**Model 6616.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.379	10	<b>26051</b>	12
3/4	3/4	0.531	10	<b>26056</b>	12
1	1	0.838	5	<b>26061</b>	12
1 1/4	1 1/4	1.300	1	<b>26066</b>	12
1 1/2	1 1/2	1.790	1	<b>26071</b>	12
2	2	2.596	1	<b>26076</b>	12



**Viega MegaPressG 90° street elbow  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components

HNBR sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6616.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.242	1	<b>28615</b>	12
3	3	4.421	1	<b>28620</b>	12
4	4	7.178	1	<b>28625</b>	12



**Viega MegaPressG 45° elbow  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

**Model 6626**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.309	10	<b>25231</b>	12
3/4	3/4	0.410	10	<b>25236</b>	12
1	1	0.655	5	<b>25241</b>	12
1 1/4	1 1/4	1.047	1	<b>25246</b>	12
1 1/2	1 1/2	1.389	1	<b>25251</b>	12
2	2	1.951	1	<b>25256</b>	12



**Viega MegaPressG 45° elbow  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6626XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	2.482	1	<b>28630</b>	12
3	3	3.471	1	<b>28635</b>	12
4	4	5.686	1	<b>28640</b>	12



**Viega MegaPressG 45° street elbow  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components

HNBR sealing element, grip ring, separator ring

**Model 6626.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.312	10	<b>26101</b>	12
¾	¾	0.428	10	<b>26106</b>	12
1	1	0.677	5	<b>26111</b>	12
1¼	1¼	1.058	1	<b>26116</b>	12
1½	1½	1.435	1	<b>26121</b>	12
2	2	2.094	1	<b>26126</b>	12



**Viega MegaPressG 45° street elbow  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components

HNBR sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6626.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.380	1	<b>28645</b>	12
3	3	3.258	1	<b>28650</b>	12
4	4	5.356	1	<b>28655</b>	12

**Tees**



**Viega MegaPressG tee  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

**Model 6618**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.507	5	<b>25301</b>	12
¾	¾	½	0.639	5	<b>25331</b>	12
¾	¾	¾	0.679	5	<b>25306</b>	12
1	1	½	0.917	5	<b>25336</b>	12
1	1	¾	0.957	5	<b>25341</b>	12
1	1	1	1.031	5	<b>25311</b>	12
1¼	1¼	½	1.355	1	<b>25491</b>	12
1¼	1¼	¾	1.406	1	<b>25496</b>	12
1¼	1¼	1	1.477	1	<b>25351</b>	12
1¼	1¼	1¼	1.644	1	<b>25316</b>	12
1½	1½	½	1.752	1	<b>25361</b>	12
1½	1½	¾	1.790	1	<b>25366</b>	12
1½	1½	1	1.878	1	<b>25371</b>	12
1½	1½	1¼	2.028	1	<b>25376</b>	12
1½	1½	1½	2.138	1	<b>25321</b>	12
2	2	½	2.526	1	<b>25381</b>	12
2	2	¾	2.444	1	<b>25386</b>	12
2	2	1	2.513	1	<b>25391</b>	12
2	2	1¼	2.645	1	<b>25396</b>	12
2	2	1½	2.755	1	<b>25401</b>	12
2	2	2	2.898	1	<b>25326</b>	12



**ViEGA MegaPressG tee  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

**Components**

HNBR sealing elements, grip rings, separator rings

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6618XL**

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1	2.358	1	28910	12
2½	2½	1¼	2.729	1	28905	12
2½	2½	1½	2.821	1	28675	12
2½	2½	2	3.246	1	28680	12
2½	2½	2½	3.369	1	28660	12
3	3	1¼	3.577	1	28695	12
3	3	1½	3.753	1	28690	12
3	3	2	4.077	1	28685	12
3	3	2½	4.256	1	28700	12
3	3	3	4.796	1	28665	12
4	4	1½	5.539	1	28705	12
4	4	2	5.953	1	28710	12
4	4	2½	6.325	1	28715	12
4	4	3	6.727	1	28720	12
4	4	4	7.994	1	28670	12



**ViEGA MegaPressG tee  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

**Components**

HNBR sealing elements, grip rings, separator rings

**Model 6617.2**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.613	5	25406	12
¾	¾	¾	0.639	5	25481	12
1	1	½	0.886	5	25411	12
1	1	¾	0.915	5	25416	12
1¼	1¼	½	1.344	1	25486	12
1¼	1¼	¾	1.349	1	25506	12
1¼	1¼	1	1.444	1	25501	12
1½	1½	½	1.706	1	25436	12
1½	1½	¾	1.741	1	25441	12
1½	1½	1	1.929	1	25446	12
1½	1½	1¼	1.829	1	25451	12
2	2	½	2.358	1	25456	12
2	2	¾	2.391	1	25461	12
2	2	1	2.535	1	25466	12
2	2	1¼	2.446	1	25471	12
2	2	1½	2.601	1	25476	12



**ViEGA MegaPressG tee  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

**Components**

HNBR sealing elements, grip rings, separator rings

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6617.2XL**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	2.244	1	28725	12
3	3	¾	3.097	1	28730	12
4	4	¾	4.501	1	28735	12

**Adapters**



**ViEGA MegaPressG adapter  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, male pipe thread

**Components**

HNBR sealing element, grip ring, separator ring

**Model 6611**

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.227	10	25101	12
¾	¾	0.313	10	25106	12
1	1	0.474	5	25111	12
1¼	1¼	0.767	5	25116	12
1½	1½	1.069	1	25121	12
2	2	1.433	1	25126	12



**Viega MegaPressG adapter  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, male pipe thread

Components

HNBR sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6611XL**

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.719	1	<b>28740</b>	12
3	3	2.338	1	<b>28745</b>	12
4	4	4.119	1	<b>28750</b>	12



**Viega MegaPressG adapter  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components

HNBR sealing element, grip ring, separator ring

**Model 6612**

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.246	10	<b>25131</b>	12
¾	½	0.291	10	<b>25576</b>	12
¾	¾	0.315	10	<b>25136</b>	12
1	½	0.441	10	<b>25581</b>	12
1	¾	0.441	5	<b>25586</b>	12
1	1	0.538	5	<b>25141</b>	12
1¼	½	0.660	1	<b>25591</b>	12
1¼	¾	0.670	1	<b>25596</b>	12
1¼	1	0.749	1	<b>25601</b>	12
1¼	1¼	0.662	5	<b>25146</b>	12
1½	½	0.827	1	<b>25606</b>	12
1½	¾	0.860	1	<b>25611</b>	12
1½	1	0.959	1	<b>25616</b>	12
1½	1¼	0.849	1	<b>25621</b>	12
1½	1½	0.948	1	<b>25151</b>	12
2	½	1.098	1	<b>25626</b>	12
2	¾	1.124	1	<b>25631</b>	12
2	1	1.225	1	<b>25636</b>	12
2	1¼	1.157	1	<b>25641</b>	12
2	1½	1.190	1	<b>25646</b>	12
2	2	1.333	1	<b>25156</b>	12



**Viega MegaPressG adapter  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components

HNBR sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6612XL**

P	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.827	1	<b>28755</b>	12
3	3	2.354	1	<b>28760</b>	12
4	4	3.436	1	<b>28765</b>	12

**Flanges**



**Viega MegaPressG flange  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing element, grip ring, separator ring

**Model 6659.5**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
½	4	2¾	1.393	1	<b>25761</b>	12
¾	4	2¾	1.845	1	<b>25766</b>	12
1	4	3⅞	2.455	1	<b>25771</b>	12
1¼	4	3½	2.711	1	<b>25776</b>	12
1½	4	3⅞	4.011	1	<b>25781</b>	12
2	4	4¾	5.400	1	<b>25786</b>	12

BP = bolt pattern  
BPd = bolt pattern diameter

2.2



**Viega MegaPressG flange  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, flat-faced flange

Components

HNBR sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6659.5XL**

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	8.426	1	<b>28875</b>	12
3	4	6	9.881	1	<b>28880</b>	12
4	8	7½	13.874	1	<b>28885</b>	12

BP = bolt pattern  
BPd = bolt pattern diameter

**Caps**



**Viega MegaPressG cap  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing element, grip ring, separator ring

**Model 6656**

P	Wt [lb]	Quantity	Part No	DG
½	0.203	10	<b>25731</b>	12
¾	0.264	10	<b>25736</b>	12
1	0.397	5	<b>25741</b>	12
1¼	0.617	1	<b>25746</b>	12
1½	0.804	1	<b>25751</b>	12
2	1.080	1	<b>25756</b>	12



**Viega MegaPressG cap  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6656XL**

P	Wt [lb]	Quantity	Part No	DG
2½	1.309	1	<b>28860</b>	12
3	1.708	1	<b>28865</b>	12
4	2.746	1	<b>28870</b>	12

**Unions**



**Viega MegaPressG union  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection
- Ground joint

Components

HNBR sealing elements, grip rings, separator rings

**Model 6660**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.758	5	<b>25701</b>	12
¾	¾	1.212	5	<b>25706</b>	12
1	1	1.441	5	<b>25711</b>	12
1¼	1¼	2.424	1	<b>25716</b>	12
1½	1½	2.689	1	<b>25721</b>	12
2	2	4.188	1	<b>25726</b>	12



**Viega MegaPressG union  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread
- Ground joint

Components

HNBR sealing element, grip ring, separator ring

**Model 6662**

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.675	5	<b>25651</b>	12
¾	¾	1.107	5	<b>25656</b>	12
1	1	1.358	5	<b>25661</b>	12
1¼	1¼	2.343	1	<b>25666</b>	12
1½	1½	2.226	1	<b>25671</b>	12
2	2	3.295	1	<b>25676</b>	12



**Couplings**



**Viega MegaPressG coupling**  
**With stop**  
**Smart Connect Technology**  
 - For use with Sch. 10 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection  
Components  
 HNBR sealing elements, grip rings, separator rings  
**Model 6615**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.260	10	<b>25001</b>	12
3/4	3/4	0.353	10	<b>22009</b>	12
1	1	0.514	5	<b>25011</b>	12
1 1/4	1 1/4	0.860	1	<b>25016</b>	12
1 1/2	1 1/2	1.124	1	<b>25021</b>	12
2	2	1.433	1	<b>25026</b>	12



**Viega MegaPressG coupling**  
**With stop**  
**Smart Connect Technology**  
 - For use with Sch. 10 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection  
Components  
 HNBR sealing elements, grip rings, separator rings  
Note  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 6615XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.689	1	<b>28770</b>	12
3	3	2.435	1	<b>28775</b>	12
4	4	3.965	1	<b>28780</b>	12



**Viega MegaPressG coupling**  
**No stop**  
**Smart Connect Technology**  
 - For use with Sch. 10 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection  
Components  
 HNBR sealing elements, grip rings, separator rings  
**Model 6615.5**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.264	10	<b>25031</b>	12
3/4	3/4	0.339	10	<b>25036</b>	12
1	1	0.511	5	<b>25041</b>	12
1 1/4	1 1/4	0.860	1	<b>25046</b>	12
1 1/2	1 1/2	1.124	1	<b>25051</b>	12
2	2	1.411	1	<b>25056</b>	12



**Viega MegaPressG coupling**  
**No stop**  
**Smart Connect Technology**  
 - For use with Sch. 10 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection  
Components  
 HNBR sealing elements, grip rings, separator rings  
Note  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 6615.5XL**

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.728	1	<b>28785</b>	12
3	3	2.413	1	<b>28790</b>	12
4	4	4.009	1	<b>28795</b>	12



**Viega MegaPressG extended coupling**  
**No stop**  
**Smart Connect Technology**  
 - Carbon steel, zinc-nickel coating  
 - Press connection  
Components  
 HNBR sealing elements, grip rings, separator rings  
**Model 6615.3**

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.348	10	<b>25071</b>	12
3/4	3/4	0.447	10	<b>25076</b>	12
1	1	0.674	5	<b>25081</b>	12
1 1/4	1 1/4	1.031	1	<b>25086</b>	12
1 1/2	1 1/2	1.350	1	<b>25091</b>	12
2	2	1.693	1	<b>25096</b>	12

**Reducers**



**ViEGA MegaPressG reducer  
Smart Connect Technology**  
 - For use with Sch. 10 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Street, press connection  
Components  
 HNBR sealing element, grip ring, separator ring  
**Model 6615.1**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.276	5	<b>26001</b>	12
1	1/2	0.364	5	<b>26006</b>	12
1	3/4	0.397	5	<b>26011</b>	12
1 1/4	1	0.688	1	<b>26016</b>	12
1 1/2	3/4	0.710	1	<b>26021</b>	12
1 1/2	1	0.793	1	<b>26031</b>	12
1 1/2	1 1/4	0.926	1	<b>26026</b>	12
2	1	1.047	1	<b>26036</b>	12
2	1 1/4	1.168	1	<b>26041</b>	12
2	1 1/2	1.289	1	<b>26046</b>	12



**ViEGA MegaPressG reducer  
Smart Connect Technology**  
 - For use with Sch. 10 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Street, press connection  
Components  
 HNBR sealing element, grip ring, separator ring  
Note  
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.  
**Model 6615.1XL**

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2 1/2	1	1.210	1	<b>28800</b>	12
2 1/2	1 1/4	1.351	1	<b>28805</b>	12
2 1/2	1 1/2	1.457	1	<b>28810</b>	12
2 1/2	2	1.534	1	<b>28815</b>	12
3	1 1/4	1.942	1	<b>28820</b>	12
3	1 1/2	2.061	1	<b>28825</b>	12
3	2	2.181	1	<b>28830</b>	12
3	2 1/2	2.169	1	<b>28835</b>	12
4	1 1/2	2.980	1	<b>28840</b>	12
4	2	3.130	1	<b>28845</b>	12
4	2 1/2	3.086	1	<b>28850</b>	12
4	3	3.526	1	<b>28855</b>	12



**ViEGA MegaPressG reducer  
Smart Connect Technology**  
 - For use with Sch. 10 to Sch. 40 carbon steel pipe  
 - Carbon steel, zinc-nickel coating  
 - Press connection  
Components  
 HNBR sealing elements, grip rings, separator rings  
**Model 6615.2**

P1	P2	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.360	5	<b>25931</b>	12
1	1/2	0.485	5	<b>25936</b>	12
1	3/4	0.511	5	<b>25941</b>	12
1 1/4	3/4	0.743	1	<b>25946</b>	12
1 1/4	1	0.804	1	<b>25951</b>	12
1 1/2	1 1/4	1.080	1	<b>25956</b>	12
2	1 1/4	1.459	1	<b>25961</b>	12
2	1 1/2	1.492	1	<b>25966</b>	12