

MegaPress 304 FKM



2.4



MegaPress 304 FKM

Viega MegaPress 304 FKM fittings are the industry's first stainless fittings for Schedule 5 to 40 piping systems. Save on labor cost and system downtime with press fittings in a wide variety of configurations, available in sizes from ½" to 4". MegaPress 304 with an FKM sealing element is suitable for chemical and higher temperature applications.

FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a PBT separator ring for sizes 2½" to 4"
- FKM sealing element
- Wide range of fitting configurations
- Eliminates threading and welding
- No fire watches, hot work permits or messy cutting oils
- Makes secure press connections on sizes from ½" to 4" in seconds
- Compatible with existing press tools
- Backed by limited written warranty

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A white dot indicates an FKM sealing element. Viega also offers a variety of valves for this product line, please check section 5.1 Valves for more details.

Index

Elbows	88
Tees	89
Adapters	90
Flanges	91
Caps	91
Unions	92
Couplings	92
Reducers	93

Elbows



**ViEGA MegaPress 90° elbow
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components

FKM sealing elements, grip rings, separator rings

Model 4116

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.324	10	95005	14
3/4	3/4	0.423	10	95010	14
1	1	0.789	5	95015	14
1 1/4	1 1/4	1.258	1	95785	14
1 1/2	1 1/2	1.510	1	95020	14
2	2	2.032	1	95025	14



**ViEGA MegaPress 90° elbow
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4116XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.317	1	95500	14
3	3	4.763	1	95505	14
4	4	7.904	1	95510	14



**ViEGA MegaPress 90° street elbow
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, street

Components

FKM sealing element, grip ring, separator ring

Model 4116.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.320	10	95030	14
3/4	3/4	0.417	10	95035	14
1	1	0.782	5	95040	14
1 1/4	1 1/4	1.219	1	95845	14
1 1/2	1 1/2	1.483	1	95045	14
2	2	2.063	1	95050	14



**ViEGA MegaPress 90° street elbow
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, street

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4116.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.304	1	95515	14
3	3	5.052	1	95520	14
4	4	7.489	1	95525	14



**ViEGA MegaPress 45° elbow
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components

FKM sealing elements, grip rings, separator rings

Model 4126

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.264	10	95055	14
3/4	3/4	0.346	10	95060	14
1	1	0.641	5	95065	14
1 1/4	1 1/4	1.038	1	95790	14
1 1/2	1 1/2	1.228	1	95070	14
2	2	1.620	1	95075	14



**Viega MegaPress 45° elbow
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4126XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	2.480	1	95530	14
3	3	3.579	1	95535	14
4	4	5.938	1	95540	14



**Viega MegaPress 45° street elbow
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, street

Components

FKM sealing element, grip ring, separator ring

Model 4126.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.276	10	95080	14
¾	¾	0.355	10	95085	14
1	1	0.648	5	95090	14
1¼	1¼	1.003	1	95850	14
1½	1½	1.188	1	95095	14
2	2	1.679	1	95100	14



**Viega MegaPress 45° street elbow
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, street

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4126.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.409	1	95545	14
3	3	3.306	1	95550	14
4	4	5.492	1	95555	14

Tees



**Viega MegaPress tee
Smart Connect Technology**

- 304 stainless steel
- Press connection

Components

FKM sealing elements, grip rings, separator rings

Model 4118

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.443	5	95105	14
¾	¾	½	0.536	5	95130	14
¾	¾	¾	0.582	5	95110	14
1	1	½	0.882	5	95135	14
1	1	¾	0.899	5	95140	14
1	1	1	1.005	5	95115	14
1¼	1¼	½	1.300	1	95855	14
1¼	1¼	¾	1.338	1	95860	14
1¼	1¼	1	1.430	1	95865	14
1¼	1¼	1¼	1.578	1	95795	14
1½	1½	½	1.532	1	95145*	14
1½	1½	¾	1.525	1	95150	14
1½	1½	1	1.631	1	95155	14
1½	1½	1½	1.832	1	95120	14
2	2	½	2.082	1	95160	14
2	2	¾	2.094	1	95165	14
2	2	1	2.195	1	95170	14
2	2	1½	2.373	1	95175	14
2	2	2	2.493	1	95125	14

* = Available while supplies last



**Viega MegaPress tee
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
 - 304 stainless steel
 - Press connection
- Components**
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4118XL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1½	3.033	1	95575	14
2½	2½	2	3.174	1	95580	14
2½	2½	2½	3.346	1	95560	14
3	3	2	4.547	1	95585	14
3	3	3	4.862	1	95565	14
4	4	1½	5.627	1	95600	14
4	4	2	5.990	1	95605	14
4	4	2½	6.358	1	95610	14
4	4	3	6.949	1	95615	14
4	4	4	8.232	1	95570	14



**Viega MegaPress tee
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, female pipe thread

Components
FKM sealing elements, grip rings, separator rings

Model 4117.2

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.525	5	95180	14
¾	¾	¾	0.551	5	95185	14
1	1	½	0.862	5	95190	14
1	1	¾	0.886	5	95195	14
1½	1½	¾	1.563	1	95205	14
2	2	1	2.244	1	95225	14



**Viega MegaPress tee
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, female pipe thread

Components
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4117.2XL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	2.484	1	95620	14
3	3	¾	3.090	1	95625	14
4	4	¾	5.036	1	95630	14

Adapters



**Viega MegaPress adapter
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, male pipe thread

Components
FKM sealing element, grip ring, separator ring

Model 4111

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.209	10	95230	14
¾	½	0.269	10	95235	14
¾	¾	0.284	10	95240	14
1	1	0.483	5	95245	14
1¼	1¼	0.798	1	95830	14
1½	1½	0.985	1	95250	14
2	2	1.283	1	95255	14



**Viega MegaPress adapter
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, male pipe thread

Components
FKM sealing element, grip ring, separator ring

Note
Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4111XL

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.675	1	95635	14
3	3	2.349	1	95640	14
4	4	4.157	1	95735	14



**Viega MegaPress adapter
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection, female pipe thread

Components

FKM sealing element, grip ring, separator ring
Model 4112

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.232	10	95260	14
¾	¾	0.289	10	95265	14
1	1	0.538	5	95270	14
1¼	1¼	0.683	1	95835	14
1½	1½	0.884	1	95275	14
2	2	1.228	1	95280	14



**Viega MegaPress adapter
Smart Connect Technology**

- 304 stainless steel
- Press connections, female pipe thread

Components

FKM sealing element, grip ring, separator ring
Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4112XL

P	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.814	1	95770	14
3	3	2.607	1	95775	14
4	4	3.469	1	95780	14

Flanges



**Viega MegaPress flange
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring
Model 4159

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
½	4	2¾	1.051	1	95440	14
¾	4	2¾	1.488	1	95445	14
1	4	3⅛	2.133	1	95450	14
1¼	4	3½	2.658	1	95870	14
1½	4	3⅞	3.650	1	95455	14
2	4	4¾	5.030	1	95460	14

BP = bolt pattern
BPd = bolt pattern diameter



**Viega MegaPress flange
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring
Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4159XL

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	8.276	1	95720	14
3	4	6	9.881	1	95725	14
4	8	7½	13.630	1	95730	14

BP = bolt pattern
BPd = bolt pattern diameter

Caps



**Viega MegaPress cap
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring
Model 4156

P	Wt [lb]	Quantity	Part No	DG
½	0.172	10	95390	14
¾	0.223	10	95395	14
1	0.387	5	95400	14
1¼	0.599	1	95825	14
1½	0.701	1	95405	14
2	0.939	1	95410	14



**Viega MegaPress cap
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4156.1XL

P	Wt [lb]	Quantity	Part No	DG
2½	1.247	1	95705	14
3	1.975	1	95710	14
4	2.817	1	95715	14

Unions



**Viega MegaPress union
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components

AFM flat gasket, FKM sealing elements, grip rings, separator rings

Model 4160

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.608	5	95415	14
¾	¾	1.020	5	95420	14
1	1	1.333	1	95425	14
1¼	1¼	2.409	1	95875	14
1½	1½	2.494	1	95430	14
2	2	4.047	1	95435	14

Couplings



**Viega MegaPress coupling
With stop
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components

FKM sealing elements, grip rings, separator rings

Model 4115

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.227	10	95285	14
¾	¾	0.289	10	95290	14
1	1	0.505	5	95295	14
1¼	1¼	0.849	1	95800	14
1½	1½	1.069	1	95300	14
2	2	1.252	1	95305	14



**Viega MegaPress coupling
With stop
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components

FKM sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

Model 4115XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.686	1	95645	14
3	3	2.438	1	95650	14
4	4	4.218	1	95655	14



**Viega MegaPress coupling
No stop
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 stainless steel pipe
- 304 stainless steel
- Press connection

Components

FKM sealing elements, grip rings, separator rings

Model 4115.5

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.229	10	95310	14
¾	¾	0.287	10	95315	14
1	1	0.500	5	95320	14
1¼	1¼	0.849	1	95805	14
1½	1½	0.985	1	95325	14
2	2	1.225	1	95330	14



Viega MegaPress coupling
No stop
Smart Connect Technology
 - For use with Sch. 5 to Sch. 40 stainless steel pipe
 - 304 stainless steel
 - Press connection
Components
 FKM sealing element, grip ring, separator ring
Note
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 4115.5XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.677	1	95660	14
3	3	2.446	1	95665	14
4	4	4.141	1	95670	14



Viega MegaPress transition coupling
Smart Connect Technology
 - For transitioning between IPS and CTS systems
 - 304 stainless steel
 - Press connection
Components
 FKM sealing elements, grip ring, separator ring
Model 4113

P (IPS)	P (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.218	1	95465	14
¾	¾	0.284	1	95470	14
1	1	0.430	1	95475	14
1¼	1¼	0.619	1	95840	14
1½	1½	0.804	1	95485	14
2	2	1.042	1	95490	14

Reducers



Viega MegaPress reducer
Smart Connect Technology
 - For use with Sch. 5 to Sch. 40 stainless steel pipe
 - 304 stainless steel
 - Street, press connection
Components
 FKM sealing element, grip ring, separator ring
Model 4115.1

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.242	5	95355	14
1	½	0.347	5	95360	14
1	¾	0.366	5	95365	14
1¼	1	0.685	1	95810	14
1½	¾	0.633	1	95370	14
1½	1	0.723	1	95375	14
1½	1¼	0.926	1	95815	14
2	1	0.932	1	95380	14
2	1½	1.104	1	95385	14



Viega MegaPress reducer
Smart Connect Technology
 - For use with Sch. 5 to Sch. 40 stainless steel pipe
 - 304 stainless steel
 - Street, press connection
Components
 FKM sealing element, grip ring, separator ring
Note
 Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.
Model 4115.1XL

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2½	2	1.408	1	95675	14
3	2	1.845	1	95680	14
3	2½	1.962	1	95685	14
4	2	2.905	1	95690	14
4	2½	3.031	1	95695	14
4	3	3.306	1	95700	14



Viega MegaPress reducer
Smart Connect Technology
 - For use with Sch. 5 to Sch. 40 stainless steel pipe
 - 304 stainless steel
 - Press connection
Components
 FKM sealing elements, grip rings, separator rings
Model 4115.2

P1	P2	Wt [lb]	Quantity	Part No	DG
¾	½	0.320	5	95335	14
1	¾	0.480	5	95340	14
1¼	1	0.787	1	95820	14
1½	1	0.849	1	95345	14
2	1½	1.265	1	95350	14

