

MegaPress



2-1



MegaPress

Viega MegaPress is the first clean, secure and efficient choice for joining carbon steel pipe. It is suitable for renovations, repairs or installation of new carbon steel pipe systems. Viega MegaPress can even be installed on noncombustible/flammable lines that are not completely shut down, eliminating the need to fully drain a system, and shortening repair and installation time. It is approved for use in hydronic heating, compressed air, fire protection, cooling water, marine applications and many more. Not approved for use with potable water or in fuel gas and oil applications.

FEATURES AND BENEFITS

- Approved for more applications than any other carbon steel pipe press fitting system
- Suitable for use with ASTM Schedule 5 to Schedule 40 carbon steel pipe.
- Corrosion-resistant zinc nickel coating
- More than 150 engineered fitting configurations from ½" to 2"
- Approved for underground applications, in accordance with code and local AHJ
- Viega Smart Connect technology provides installers added confidence in their ability to ensure secure connections
- UL and FM listed for fire-protection applications

AVAILABLE SOON!

Viega expands the MegaPress product range with Zero Lead bronze transition couplings that allow dissimilar piping systems to be connected, minimizing the risks of galvanic corrosion.

Available in IPS x IPS and IPS x CTS street connections, it has never been easier to transition from steel to copper, PEX or stainless steel.

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot on a Viega MegaPress fitting indicates Smart Connect technology with an EPDM sealing element. Viega also offers a variety of valves for this product line, please check section 5.1 Valves for more details.

Index

Elbows	60
Tees	61
Adapters	61
Caps	62
Unions	62
Couplings	62
Reducers	63
Branch connectors	64

Elbows



**ViEGA MegaPress 90° elbow
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

Model 4816

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.370	10	25200	12
3/4	3/4	0.503	10	25205	12
1	1	0.829	5	25210	12
1 1/4	1 1/4	1.281	1	25215	12
1 1/2	1 1/2	1.730	1	25220	12
2	2	2.546	1	25225	12



**ViEGA MegaPress 90° street elbow
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components

EPDM sealing element, grip ring, separator ring

Model 4816.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.379	10	26050	12
3/4	3/4	0.531	10	26055	12
1	1	0.838	5	26060	12
1 1/4	1 1/4	1.300	1	26065	12
1 1/2	1 1/2	1.790	1	26070	12
2	2	2.596	1	26075	12



**ViEGA MegaPress 45° elbow
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

Model 4826

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.304	10	25230	12
3/4	3/4	0.410	10	25235	12
1	1	0.661	5	25240	12
1 1/4	1 1/4	1.051	1	25245	12
1 1/2	1 1/2	1.389	1	25250	12
2	2	1.951	1	25255	12



**ViEGA MegaPress 45° street elbow
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

Components

EPDM sealing element, grip ring, separator ring

Model 4826.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.312	10	26100	12
3/4	3/4	0.428	10	26105	12
1	1	0.677	5	26110	12
1 1/4	1 1/4	1.058	1	26115	12
1 1/2	1 1/2	1.435	1	26120	12
2	2	2.094	1	26125	12

Tees



**Viega MegaPress tee
Smart Connect Technology**
 - For use with Sch. 5 to Sch. 40 carbon steel pipe
 - Carbon steel, zinc-nickel coating
 - Press connection

Components
 EPDM sealing elements, grip rings, separator rings

Model 4818

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/2	0.507	5	25300	12
3/4	3/4	1/2	0.639	5	25330	12
3/4	3/4	3/4	0.679	5	25305	12
1	1	1/2	0.904	5	25335	12
1	1	3/4	0.957	5	25340	12
1	1	1	1.036	5	25310	12
1 1/4	1 1/4	1/2	1.348	1	25510	12
1 1/4	1 1/4	3/4	1.393	1	25515	12
1 1/4	1 1/4	1	1.477	1	25350	12
1 1/4	1 1/4	1 1/4	1.620	1	25315	12
1 1/2	1 1/2	1/2	1.873	1	25360	12
1 1/2	1 1/2	3/4	1.799	1	25365	12
1 1/2	1 1/2	1	1.873	1	25370	12
1 1/2	1 1/2	1 1/4	2.036	1	25375	12
1 1/2	1 1/2	1 1/2	2.160	1	25320	12
2	2	1/2	2.539	1	25380	12
2	2	3/4	2.424	1	25385	12
2	2	1	2.513	1	25390	12
2	2	1 1/4	2.678	1	25395	12
2	2	1 1/2	2.777	1	25400	12
2	2	2	2.909	1	25325	12



**Viega MegaPress tee
Smart Connect Technology**
 - For use with Sch. 5 to Sch. 40 carbon steel pipe
 - Carbon steel, zinc-nickel coating
 - Press connection, female pipe thread

Components
 EPDM sealing elements, grip rings, separator rings

Model 4817.2

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
3/4	3/4	1/2	0.611	5	25405	12
3/4	3/4	3/4	0.639	5	25480	12
1	1	1/2	0.884	5	25410	12
1	1	3/4	0.915	5	25415	12
1 1/4	1 1/4	1/2	1.344	1	25485	12
1 1/4	1 1/4	3/4	1.349	1	25505	12
1 1/4	1 1/4	1	1.492	1	25500	12
1 1/2	1 1/2	1/2	1.715	1	25435	12
1 1/2	1 1/2	3/4	1.741	1	25440	12
1 1/2	1 1/2	1	1.929	1	25445	12
2	2	1/2	2.358	1	25455	12
2	2	3/4	2.400	1	25460	12
2	2	1	2.535	1	25465	12
2	2	1 1/2	2.601	1	25475	12

Adapters



**Viega MegaPress adapter
Smart Connect Technology**
 - For use with Sch. 5 to Sch. 40 carbon steel pipe
 - Carbon steel, zinc-nickel coating
 - Press connection, male pipe thread

Components
 EPDM sealing element, grip ring, separator ring

Model 4811

P	MPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.226	10	25100	12
3/4	3/4	0.309	10	25105	12
1	1	0.483	5	25110	12
1 1/4	1 1/4	0.771	5	25115	12
1 1/2	1 1/2	1.065	1	25120	12
2	2	1.411	1	25125	12

2.1



Viega MegaPress adapter
Smart Connect Technology
 - For use with Sch. 5 to Sch. 40 carbon steel pipe
 - Carbon steel, zinc-nickel coating
 - Press connection, female pipe thread
Components
 EPDM sealing element, grip ring, separator ring
Model 4812

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.242	10	25130	12
3/4	1/2	0.293	10	25575	12
3/4	3/4	0.313	10	25135	12
1	1/2	0.441	10	25580	12
1	3/4	0.430	5	25585	12
1	1	0.538	5	25140	12
1 1/4	1/2	0.688	1	25590	12
1 1/4	3/4	0.670	1	25595	12
1 1/4	1	0.745	1	25600	12
1 1/4	1 1/4	0.655	5	25145	12
1 1/2	3/4	0.860	1	25610	12
1 1/2	1	0.959	1	25615	12
1 1/2	1 1/4	0.838	1	25620	12
1 1/2	1 1/2	0.948	1	25150	12
2	1/2	1.102	1	25625	12
2	3/4	1.124	1	25630	12
2	1	1.212	1	25635*	12
2	1 1/4	1.157	1	25640	12
2	1 1/2	1.190	1	25645	12
2	2	1.322	1	25155	12

* = Available while supplies last

Caps



Viega MegaPress cap
Smart Connect Technology
 - For use with Sch. 5 to Sch. 40 carbon steel pipe
 - Carbon steel, zinc-nickel coating
 - Press connection
Components
 EPDM sealing element, grip ring, separator ring
Model 4856

P	Wt [lb]	Quantity	Part No	DG
1/2	0.203	10	25730	12
3/4	0.264	10	25735	12
1	0.397	5	25740	12
1 1/4	0.617	1	25745	12
1 1/2	0.804	1	25750	12
2	1.080	1	25755	12

Unions



Viega MegaPress union
Smart Connect Technology
 - For use with Sch. 5 to Sch. 40 carbon steel pipe
 - Carbon steel, zinc-nickel coating
 - Press connection
Components
 Flat gasket EPDM, EPDM sealing elements, grip rings, separator rings
Model 4860

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.760	5	25700	12
3/4	3/4	1.197	5	25705	12
1	1	1.406	5	25710	12
1 1/4	1 1/4	2.391	1	25715	12
1 1/2	1 1/2	2.689	1	25720	12
2	2	4.188	1	25725	12

Couplings



Viega MegaPress coupling
With stop
Smart Connect Technology
 - For use with Sch. 5 to Sch. 40 carbon steel pipe
 - Carbon steel, zinc-nickel coating
 - Press connection
Components
 EPDM sealing elements, grip rings, separator rings
Model 4815

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.264	10	25000	12
3/4	3/4	0.342	10	22005	12
1	1	0.505	5	25010	12
1 1/4	1 1/4	0.860	1	25015	12
1 1/2	1 1/2	1.124	1	25020	12
2	2	1.435	1	25025	12

2-1



Viega MegaPress coupling

**No stop
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

Model 4815.5

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.264	10	25030	12
3/4	3/4	0.337	10	25035	12
1	1	0.509	5	25040	12
1 1/4	1 1/4	0.860	1	25045	12
1 1/2	1 1/2	1.124	1	25050	12
2	2	1.411	1	25055	12



Viega MegaPress extended coupling

**No stop
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

EPDM sealing elements, grip rings, separator rings

Model 4815.3

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.348	10	25070	12
3/4	3/4	0.443	10	25075	12
1	1	0.672	5	25080	12
1 1/4	1 1/4	1.001	1	25085	12
1 1/2	1 1/2	1.278	1	25090	12
2	2	1.693	1	25095	12



New

**Viega MegaPress transition coupling
Zero Lead**

Smart Connect Technology

- For transitioning between IPS sized pipe and CTS sized tube
- Bronze
- Press connection, CTS street

Components

EPDM sealing element, grip ring, separator ring

Model 4813.4ZL

P1	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.137	1	76575¹⁾	12
3/4	3/4	0.187	1	76580¹⁾	12
1	1	0.302	1	76585¹⁾	12
1 1/4	1 1/4	0.494	1	76590¹⁾	12
1 1/2	1 1/2	0.638	1	76595¹⁾	12
2	2	0.875	1	76600¹⁾	12

¹⁾ Available soon!



New

**Viega MegaPress transition coupling
Zero Lead**

Smart Connect Technology

- For MegaPress transitions between dissimilar piping
- Bronze
- Press connections

Components

EPDM sealing elements, grip rings, separator rings

Model 4815ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.215	1	76605¹⁾	12
3/4	3/4	0.284	1	76610¹⁾	12
1	1	0.462	1	76615¹⁾	12
1 1/4	1 1/4	0.748	1	76620¹⁾	12
1 1/2	1 1/2	0.862	1	76625¹⁾	12
2	2	1.104	1	76630¹⁾	12

¹⁾ Available soon!

Reducers



Viega MegaPress reducer

Smart Connect Technology

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Street, press connection

Components

EPDM sealing element, grip ring, separator ring

Model 4815.1

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.276	5	26000	12
1	1/2	0.364	5	26005	12
1	3/4	0.397	5	26010	12
1 1/4	1	0.661	1	26015	12
1 1/2	3/4	0.710	1	26020	12
1 1/2	1	0.793	1	26025	12
1 1/2	1 1/4	0.926	1	26030	12
2	1	1.047	1	26035	12
2	1 1/4	1.168	1	26040	12
2	1 1/2	1.289	1	26045	12



**ViEGA MegaPress reducer
Smart Connect Technology**

- For use with Sch. 5 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

- EPDM sealing elements, grip rings, separator rings

Model 4815.2

P1	P2	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.362	5	25930	12
1	1/2	0.486	5	25935	12
1	3/4	0.518	5	25940	12
1 1/4	3/4	0.734	1	25945	12
1 1/4	1	0.804	1	25950	12
1 1/2	1 1/4	1.080	1	25955	12
2	1 1/4	1.366	1	25960	12
2	1 1/2	1.489	1	25965	12

Branch connectors



**ViEGA MegaPress press-in branch
connector**

- For use with Sch. 10 carbon steel pipe only
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components

- EPDM sealing element

Model 4812.3

for d	FPT	Wt [lb]	Quantity	Part No	DG
1 1/2	3/4	0.454	1	26860	12
2	3/4	0.452	1	26865	12
2 1/2	3/4	0.458	1	26870	12
3	3/4	0.452	1	26875	12
4	3/4	0.445	1	26880	12
6	3/4	0.441	1	26885	12



**ViEGA MegaPress press-in branch
connector**

- For use with Sch. 40 carbon steel pipe only
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components

- EPDM sealing element

Model 4812.35

for d	FPT	Wt [lb]	Quantity	Part No	DG
1 1/2	3/4	0.432	1	26890	12
2	3/4	0.439	1	26895	12
2 1/2	3/4	0.436	1	26900	12
3	3/4	0.408	1	26905	12
4	3/4	0.408	1	26910	12
6	3/4	0.386	1	26915	12