

# Tools



6.1



## Tools

Viega offers a variety of press tools and press jaws for every fitting size across every system. Save 50 to 90 percent on labor costs and system downtime by using a battery-powered press tool to make connections in seconds. With Viega, you'll get a whole solution from start to finish, including fittings, valves, press jaws/rings and press tools. Viega tool kits include a press tool, press jaws/rings, batteries, chargers and cases. Individual tools, press jaws/rings and accessories are also available.

### FEATURES AND BENEFITS

- Viega press jaws and rings are uniquely engineered specifically for Viega fittings to make a reliable press every time
- The same power tool can be used across Viega systems to make presses on different products
- Make a press at any angle with Viega's patented swivel feature on press rings and actuators, an advantage when working in tight spaces as well as in shafts and pre-wall construction
- Press jaws and rings are available in sizes ½" to 4" for metals and ⅜" to 2" for PEX
- No fire watches, hot work permits or gas freeing necessary
- Press in wet or dry conditions

### MEGAPRESS PRESS-IN BRANCH CONNECTOR TOOL KIT

The MegaPress Press-In Branch Connector is an innovative way to create branches from main runs or install instrumentation onto existing piping. The branch connector installs onto carbon steel pipe in sizes 1½" through 4", as well as 6", and has a ¾" FPT outlet. The tool kit contains all the accessories needed to drill the correct hole, as well as the pressing tools in all sizes to press the connector (drill not included). The MegaPress Press-In Branch Connector is approved for use in hydronic heating, cooling water applications, compressed gases and many more, thanks to a variety of sealing-element choices.

### NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record.

**Index**

Power Tools	216
Actuators / Press Jaws / Rings	218
Marine Actuator / Press Jaws / Rings	220
Metric Actuators / Press Jaws / Rings	221
Hand Tools	222
Tubing Cutters	223
Decoilers	223
Staplers	224
Accessories	224

# VIEGA TOOL MATRIX

This chart lists all the tools, jaws, actuators and rings that are compatible with Viega products.

		ProPress*	MegaPress*	PureFlow
Viega Pressgun 6	Standard Jaws	½" - 2"	½" - 1"	½" - 2"
	V1 Actuator & Rings	½" - 1¼"	½" - ¾"	
	V2 Actuator & Rings	1½" - 4"	1" - 2"	
Viega Pressgun Picco 6	Compact Jaws	½" - 1¼"	½" - ¾"	⅜" - 1½"
	C1 Actuator & Rings	½" - 1¼"	½" - ¾"	
RIDGID 330/340/351	Standard Jaws	½" - 2"	½" - 1"	½" - 2"
	V1 Actuator & Rings	½" - 1¼"	½" - ¾"	
	V2 Actuator & Rings	1½" - 4"	1" - 2"	
	MegaPress XL PressBooster		2½" - 4"	
RIDGID 240/241	Compact Jaws	½" - 1¼"	½" - 1"	⅜" - 1½"
	C1 Actuator & Rings	½" - 1¼"	½" - ¾"	
RIDGID RP 342-XL	Standard Jaws	½" - 2"	½" - 1"	½" - 2"
	V2 Actuator & Rings	1½" - 4"	1" - 2"	
	Z3 Actuator and Rings		2½" - 4"	
Milwaukee M12 Force Logic	M12 Jaws	½" - 1¼"	½" - 1"	⅜" - 1½"
Milwaukee M18 Force Logic	M18 Jaws	½" - 2"	½" - 1"	½" - 2"
	M18 Ring Jaw 1 and Rings	2½" - 4"	1¼" - 2"	
	M18 Ring Jaw 2 and Rings		2½" - 4"	
Milwaukee M18 Short Throw	M18 Jaws			⅜" - ¾"
Milwaukee M18 Long Throw	Z3 Actuator and Rings		2½" - 4"	
	M18 Jaws	½" - 2"	½" - 1"	½" - 2"
	M18 Ring Jaw 1 and Rings	2½" - 4"	1¼" - 2"	
DeWalt DCE210 20v MAX	DeWalt Compact Jaws	½" - 1¼"		
Hand Tools				⅝" - 1"



\*ProPress includes: ProPress, ProPress 316

\*MegaPress includes: MegaPress, MegaPress FKM, MegaPress G, MegaPress 304 FKM, MegaPress 316, MegaPress 316 FKM, MegaPress CuNi

\*Milwaukee and DeWalt tools are not sold by Viega LLC.

# viega PRESS TECHNOLOGY

		SeaPress
Viega Pressgun 6	Metric Jaws	12-54
	P2 Actuator and Chain	76.1-108 (flanges only)
	Z1 Actuator and Rings	12-35
	Z2 Actuator and Rings	42-108 (no flanges)
Viega Pressgun Picco 6	Metric Jaws	12-35
	P1 Actuator & Rings	12-35
RIDGID 330/340/351	Metric Jaws	12-54
	Z1 Actuator & Rings	12-35
	Z2 Actuator & Rings	42-108
RIDGID 240/241	Metric Jaws	12-35
	P1 Actuator & Rings	12-35

When using Viega press technology, the list of needed equipment and supplies is short. All that is required is a press tool plus the appropriately sized jaws, and for some systems you'll need a ring kit. Whether you're pressing ProPress, MegaPress, PureFlow, or SeaPress, this reference chart quickly and easily lists what is needed to make a press connection, depending on the tool used.



viega.us

**Power Tools**



**Pressgun 6 press tool**

- For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 2"
- Not for use with MegaPress XL PressBooster and Viega MegaPress Z3 Actuator

**Components**

Pressgun 6, battery, battery charger, hard case

**Model 2995.4**

for d	Wt [lb]	Quantity	Part No	DG
press jaws not included	17.434	1	<b>57210</b>	16



**Pressgun Picco 6 press tool**

- For Viega PureFlow Press connections 3/8" to 1 1/2", Viega ProPress connections 1/2" to 1 1/4", Viega MegaPress connections 1/2" and 3/4"
- Not for use with MegaPress XL PressBooster and Viega MegaPress Z3 Actuator

**Components**

Pressgun Picco 6, battery, battery charger, hard case

**Model 2989.3**

for d	Wt [lb]	Quantity	Part No	DG
press jaws not included	15.234	1	<b>57215</b>	16



**Pressgun Picco 6 Compact press tool kit**

- For Viega ProPress connections 1/2" to 1", Viega PureFlow Press connections 1/2" to 1"

**Components**

Battery, battery charger, branded soft-sided case, press jaws, Pressgun Picco 6, hard case

**Model 2880.41**

Press Jaws	for d	Wt [lb]	Quantity	Part No	DG
Viega ProPress	1/2, 3/4, 1	24.910	1	<b>56375</b>	16
Viega PureFlow Press	1/2, 3/4, 1	25.727	1	<b>56370</b>	16



**Pressgun 6 Standard Press Tool Kit**

- For Viega ProPress connections 1/2" to 2", Viega MegaPress connections 1/2" to 2", Viega MegaPress connections 1/2", 3/4", 1"

**Components**

Battery, battery charger, branded soft-sided case, hard case, press jaws, press rings, actuator, Pressgun 6

**Model 2880.42**

Press Jaws	for d	Wt [lb]	Quantity	Part No	DG
Viega ProPress	1/2-2	54.012	1	<b>56380</b>	16
Viega MegaPress	1/2, 3/4, 1	36.597	1	<b>56385</b>	16
Viega MegaPress	1/2-2	62.290	1	<b>56390<sup>1</sup></b>	16

<sup>1</sup>) includes actuator and MegaPress Press Rings for 1/4, 1 1/2, 2



**Ridgid RP 350**

**Standard press tool kit**

- For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 4"

**Components**

Hard case, Ridgid RP 350 tool, MegaPress press jaw sizes 1/2" to 1", 2 lithium batteries, battery charger

**Model 2880.7**

for d	Wt [lb]	Quantity	Part No	DG
1/2, 3/4, 1	31.941	1	<b>56092</b>	16



**Ridgid RP 350  
Standard press tool kit**  
- For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 4"

for d	Wt [lb]	Quantity	Part No	DG
1/2-2	56.684	1	<b>56091</b>	16

**Components**  
Ridgid RP 350 tool, ProPress press jaw sizes 1/2" to 2", 2 lithium batteries, battery charger, hard case

**Model 2980.7**



**Ridgid RP 350  
Standard press tool**  
- For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 4"

for d	Wt [lb]	Quantity	Part No	DG
press jaws not included	22.854	1	<b>56093</b>	16

**Components**  
Ridgid RP 350 tool, 2 lithium batteries, battery charger, hard case

**Model 2980.71**



**Ridgid RP 240  
Compact press tool kit**  
- For Viega PureFlow Press connections 1/2" to 1", Viega ProPress connections 1/2" to 1"  
- Not suitable for 2" Viega PureFlow Press connections

for d	Wt [lb]	Quantity	Part No	DG
1/2, 3/4, 1	20.689	1	<b>57063*</b>	16

\* = Available while supplies last

**Components**  
Ridgid RP 240 tool, PureFlow press jaw sizes 1/2", 3/4", 1", 2 lithium batteries, battery charger, hard case

**Model 2999.6**



**Ridgid RP 241  
Compact press tool kit**  
- For Viega ProPress connections 1/2" to 1", Viega PureFlow Press connections 1/2" to 1"

**Components**  
Ridgid RP 241 tool, ProPress press jaw sizes 1/2" to 1" OR PureFlow press jaw sizes 1/2" to 1", lithium battery, battery charger, branded soft-sided case

**Model 2880.7US**

Press Jaws	for d	Wt [lb]	Quantity	Part No	DG
Viega ProPress	1/2, 3/4, 1	19.195	1	<b>56021*</b>	16
Viega PureFlow Press	1/2, 3/4, 1	19.744	1	<b>56022*</b>	16

\* = Available while supplies last



**Ridgid RP 342 XL press tool**  
- For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 4"

for d	Wt [lb]	Quantity	Part No	DG
1/2-4	22.694	1	<b>56094</b>	16

**Components**  
2 lithium batteries, battery charger, Ridgid RP 342 XL press tool, hard case

**Note**  
Compatible with all standard press jaws and rings.  
Viega MegaPress Z3 actuator is required for MegaPress 2-1/2" to 4" connections.

**Model 2980.75**

**6.1**



**XL PressBooster**

**2½" MegaPress press ring**

- For Viega MegaPress XL connections 2½", 3", 4"

Components

XL PressBooster, 2½" MegaPress press ring, shoulder strap, hard case

Note

Capable of pressing 3" and 4" connections with the purchase of additional press rings.

**Model 4896.2XL**

for d	Wt [lb]	Quantity	Part No	DG
2½-4	37.027	1	<b>26200</b>	16



**Press-In Branch Connector tool kit**

- For use with 1½" to 4", 6" pipe  
- Does not include press tool, drill, press-in branch connector

Components

Drilling assembly, spare hole saw, drilling guide, positioning guides, press-in tool, adapter, marker, hard case

Note

Not for use with compact tool.

**Model 4878.5**

for d	Wt [lb]	Quantity	Part No	DG
1½-4, 6	20.149	1	<b>26920</b>	16

**Actuators / Press Jaws / Rings**



**Viega MegaPress Z3 actuator**

- For use with Viega MegaPress XL 2-1/2" to 4" press rings  
- Steel

Components

Z3 actuator, hard case

**Model 4898.5XL**

	Wt [lb]	Quantity	Part No	DG
	19.968	1	<b>57080</b>	16



**Viega MegaPress Z3 actuator  
2½" MegaPress press ring**

- For Viega MegaPress XL connections 2½", 3", 4"

Components

Z3 actuator, 2½" MegaPress press ring, hard case

Note

Capable of pressing 3" and 4" connections with the purchase of additional press rings.

**Model 4898.6XL**

for d	Wt [lb]	Quantity	Part No	DG
2½	26.029	1	<b>57081</b>	16



**Viega MegaPress XL press ring set**

- For use with MegaPress XL PressBooster and Viega MegaPress Z3 Actuator

Components

3" and 4" MegaPress press rings, hard case

**Model 4896.5XL**

for d	Wt [lb]	Quantity	Part No	DG
3-4	23.913	1	<b>57078</b>	16



**Viega MegaPress standard press jaw and ring set**

- For standard press tools, Viega MegaPress connections ½" to 2"

Components

MegaPress press jaw sizes ½" to 1", MegaPress press rings sizes 1 ¼" to 2", V2 actuator, branded soft-sided case

**Model 2880.71**

for d	Wt [lb]	Quantity	Part No	DG
½-2	48.986	1	<b>56013</b>	16





**Viega ProPress XL-C press ring kit**  
 - For standard press tools, Viega ProPress connections 2½" to 4"  
 - Steel  
Components  
 V2 actuator, ProPress XL-C press rings sizes 2½" to 4", hard case  
**Model 2999.4XL**

for d	Wt [lb]	Quantity	Part No	DG
2½-4	40.239	1	<b>57076</b>	16



**Ridgid V2 actuator**  
 - For use with ProPress XL-C 2-½" to 4" press rings and MegaPress 1-¼" to 2" press rings  
 - Steel  
**Model 2999.2**

	Wt [lb]	Quantity	Part No	DG
	6.998	1	<b>57075</b>	16



**Viega PureFlow standard press jaw**  
 - For Viega Pressgun 6, standard press tools, PEX tubing  
 - Steel  
**Model 2899.7US**

Press Jaws	Wt [lb]	Quantity	Part No	DG
½	4.013	1	<b>56073</b>	16
⅝	3.727	1	<b>56074</b>	16
¾	3.978	1	<b>56075</b>	16
1	4.117	1	<b>56076</b>	16
1¼	4.408	1	<b>56080</b>	16
1½	4.547	1	<b>56081</b>	16
2	9.347	1	<b>56082</b>	16



**Viega PureFlow compact press jaw**  
 - For Viega Pressgun Picco 6, compact tool, PEX tubing  
 - Steel  
**Model 2884.7US**

Press Jaws	Wt [lb]	Quantity	Part No	DG
⅜	2.418	1	<b>56052</b>	16
½	2.394	1	<b>56053</b>	16
⅝	2.374	1	<b>56054</b>	16
¾	2.358	1	<b>56055</b>	16
1	2.574	1	<b>56056</b>	16
1¼	2.757	1	<b>56060</b>	16
1½	2.539	1	<b>56061</b>	16



**Viega ProPress standard press jaw**  
 - For Viega Pressgun 6, standard press tools, copper tube, stainless steel CTS tube  
 - Steel  
**Model 2999.5**

Press Jaws	Wt [lb]	Quantity	Part No	DG
½	4.009	1	<b>57235</b>	16
¾	4.219	1	<b>57234</b>	16
1	4.399	1	<b>57233</b>	16
1¼	4.639	1	<b>57232</b>	16
1½	6.398	1	<b>57231</b>	16
2	9.747	1	<b>57230</b>	16



**Viega ProPress compact press jaw**  
 - For Viega Pressgun Picco 6, compact tool, copper tube, stainless steel CTS tube  
 - Steel  
**Model 2999.51**

Press Jaws	Wt [lb]	Quantity	Part No	DG
½	2.219	1	<b>57239</b>	16
¾	1.999	1	<b>57238</b>	16
1	2.289	1	<b>57237</b>	16
1¼	2.639	1	<b>57236</b>	16



**Viega ProPress XL-C press ring**  
 - For Viega Pressgun 6, standard press tools, copper tube, stainless steel CTS tube  
 - Steel  
**Model 2999.52**

for d	Wt [lb]	Quantity	Part No	DG
2½	11.997	1	<b>57242</b>	16
3	10.297	1	<b>57241</b>	16
4	11.997	1	<b>57240</b>	16



**Viega MegaPress standard press ring**

- For Viega Pressgun 6, standard press tools, carbon steel, stainless steel IPS pipe, CuNiFe 90/10
- Steel

**Model 2999.53**

for d	Wt [lb]	Quantity	Part No	DG
1¼	6.142	1	<b>57245</b>	16
1½	6.554	1	<b>57244</b>	16
2	5.998	1	<b>57243</b>	16



**Viega MegaPress XL press ring**

- For use with MegaPress XL PressBooster and Viega MegaPress Z3 Actuator
- Steel

**Model 4896.1XL**

for d	Wt [lb]	Quantity	Part No	DG
2½	6.854	1	<b>26791</b>	16
3	7.692	1	<b>26792</b>	16
4	10.092	1	<b>26793</b>	16



**Viega MegaPress standard press jaw**

- For Viega Pressgun 6, standard press tools, carbon steel, stainless steel IPS pipe, CuNiFe 90/10
- Steel

**Model 2999.54**

Press Jaws	Wt [lb]	Quantity	Part No	DG
½	3.999	1	<b>57248</b>	16
¾	5.199	1	<b>57247</b>	16
1	6.798	1	<b>57246</b>	16



**Viega MegaPress compact press jaw**

- For Viega Pressgun Picco 6, compact tool, carbon steel, stainless steel IPS pipe
- Steel

**Model 2999.55**

Press Jaws	Wt [lb]	Quantity	Part No	DG
½	2.999	1	<b>57249</b>	16
¾	2.999	1	<b>57250</b>	16

**Marine Actuator / Press Jaws / Rings**



**Viega MegaPress Marine press jaw set**

- For use with Viega MegaPress CuNi only in Navy applications
- Steel

Components

Hard case, Viega MegaPress Marine press jaws ½-1"

**Model 2880.75**

for d	Wt [lb]	Quantity	Part No	DG
½, ¾, 1	23.268	1	<b>56310</b>	16



**Viega MegaPress Marine press ring set**

- For use with Viega MegaPress CuNi only in Navy applications
- Steel

Components

Hard case, Viega MegaPress Marine press rings 1-¼" - 2" and Marine V2 actuator

**Model 2880.76**

for d	Wt [lb]	Quantity	Part No	DG
½, ¾	13.663	1	<b>56360</b>	16
1, 1¼, 1½, 2	34.032	1	<b>56365</b>	16



**Viega MegaPress Marine press jaw**

- For use with Viega MegaPress CuNi only in Navy applications
- Steel

**Model 2880.72**

for d	Wt [lb]	Quantity	Part No	DG
½	4.955	1	<b>56250</b>	16
¾	5.142	1	<b>56255</b>	16
1	6.811	1	<b>56260</b>	16



**Viega MegaPress Marine press ring**  
 - For use with Viega MegaPress CuNi only in Navy applications  
 - Steel  
**Model 2880.73**

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.593	1	<b>56265</b>	16
3/4	1.563	1	<b>56270</b>	16
1	2.098	1	<b>56275</b>	16
1 1/4	6.142	1	<b>56280</b>	16
1 1/2	6.561	1	<b>56285</b>	16
2	5.979	1	<b>56290</b>	16



**Viega MegaPress Marine actuator**  
 - For use with Viega MegaPress CuNi only in Navy applications  
 - Steel  
**Model 2880.74**

type	for d	Wt [lb]	Quantity	Part No	DG
V1/Z1	1/2, 3/4	4.742	1	<b>56300</b>	16
V2/Z2	1, 1 1/4, 1 1/2, 2	6.998	1	<b>56305</b>	16

**Metric Actuators / Press Jaws / Rings**



**Actuator Standard tool**  
 - Not suitable for Sanpress XL connector (bronze)  
 - Steel  
**Model 2296.2**

type	PCMPS	Ra	for MP	Wt [lb]	Quantity	Part No	DG
Z1	12-35	16-32	3/8-3/4	4.729	1	<b>472 733</b>	7
Z2 actuator		40-63	1-2	7.011	1	<b>472 740</b>	7

PCMPS = for press connectors of the metallic press systems  
 Ra = for Raxofix  
 for MP = for Megapress



**Press ring set**  
 - Equipped with press ring Part No 472 665, 472 672, 472 689, 472 696, 472 702, 622 442  
**Model 2202.40**

HPJ	for d	Wt [lb]	Quantity	Part No	DG
P1/Z1	12-35	10.253	1	<b>793 524</b>	7

HPJ = for hinged press jaw (actuator)



**Press ring set Standard tool, Z2 actuator**  
 - Not suitable for compact tool (24 kN)  
 - Steel  
 - Metric size  
Components  
 Z2 actuator, (2) press rings 42 mm and 54 mm, case  
**Model 2296.4**

for d	QS	Wt [lb]	Quantity	Part No	DG
42-54	3	17.090	1	<b>472 764</b>	7



**Press ring set Standard tool**  
 - Not suitable for Sanpress XL connector (bronze), Megapress XL  
Note  
 Recommended for standard 32 kN press tools such as the Pressgun 6 or equivalent.  
 Equipped with Z2 actuator standard tool, press ring.  
**Model 2202.50**

for d	Wt [lb]	Quantity	Part No	DG
76.1	19.307	1	<b>793 562</b>	7

6.1



**Press ring set**  
**Standard tool**

- Not suitable for Sanpress XL connector (bronze), Megapress XL

Note

Recommended for standard 32 kN press tools such as the Pressgun 6 or equivalent.  
Does not include an actuator, just the press rings.

**Model 2202.51**

for d	Wt [lb]	Quantity	Part No	DG
88.9–108	25.595	1	<b>793 579</b>	7



**Actuator**  
**P1, Picco**

- Steel

**Model 2496.1**

PCMPS	Ra	for MP	Wt [lb]	Quantity	Part No	DG
12–35	16–32	$\frac{3}{8}$ – $\frac{3}{4}$	2.111	1	<b>622 657</b>	7

PCMPS = for press connectors of the metallic press systems  
Ra = for Raxofix  
for MP = for Megapress



**Press jaw set**  
**Standard tool**

- For Ridgid press tools RP 320, RP 330, RP 350  
- Steel  
- Metric size

Components

P2 actuator, (3) press chains sizes 76.1 mm to 108 mm, case

**Model 2297.3XL**

for d	QS	Wt [lb]	Quantity	Part No	DG
76.1–108	4	45.737	1	<b>362 959</b>	7

**Hand Tools**



**ViEga PureFlow Press hand tool**

- Ratcheting design, color coded handles

**Model 2882US**

d	Version	Wt [lb]	Quantity	Part No	DG
$\frac{5}{16}$	black	3.394	1	<b>60010</b>	4
$\frac{3}{8}$	green	3.446	1	<b>50000</b>	6
$\frac{1}{2}$	yellow	3.409	1	<b>50020</b>	6
$\frac{5}{8}$	red	3.459	1	<b>50030</b>	4
$\frac{3}{4}$	blue	3.344	1	<b>50040</b>	6
1	orange	4.549	1	<b>50060</b>	6



**ViEga PureFlow Crimp hand tool**  
**Compact angled**

- Color coded handles

**Model V5082.4**

d	Version	Wt [lb]	Quantity	Part No	DG
$\frac{3}{8}$	green	2.439	1	<b>41703</b>	5
$\frac{1}{2}$	yellow	2.459	1	<b>41723</b>	5
$\frac{3}{4}$	blue	2.559	1	<b>41744</b>	5



**ViEga PureFlow Crimp hand tool**  
**full circle**

- Composite  
- Soft touch

**Model V5082.7**

for d	Wt [lb]	Quantity	Part No	DG
$\frac{1}{2}$ , $\frac{3}{4}$	3.449	1	<b>41770</b>	5
1	3.459	1	<b>41765</b>	5



**Viega PureFlow Press starter tool set**

- Color coded handles

Components

- Viega Pureflow Press hand tool sizes 1/2" and 3/4", tubing cutter

**Model 2880.2**

for d	Wt [lb]	Quantity	Part No	DG
1/2, 3/4	13.255	1	<b>56000</b>	6



**Viega PureFlow Press complete heating tool set**

- Color coded handles

Components

- Viega Pureflow Press hand tool sizes 5/8" to 1", prep tool

**Model 2880.5US**

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2, 5/8, 3/4, 1	26.446	1	<b>56030</b>	4



**Viega PureFlow Press complete plumbing tool set**

- Color coded handles

Components

- Viega Pureflow Press hand tool sizes 3/8" to 1", tubing cutter

**Model 2880.6US**

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2, 3/4, 1	22.192	1	<b>56010</b>	6



**SVC wrench**

- For SVC fitting nuts on manifolds
- Chrome-plated steel

**Model 2889.4US**

SVC	Wrench [in]	Wrench	Wt [lb]	Quantity	Part No	DG
✓	13/16	30	0.310	1	<b>50002</b>	4

Wrench = wrench size (in inch)

**Tubing Cutters**



**Viega PureFlow PEX tubing cutter**

- For use with Viega PureFlow tubing up to 2"
- Steel
- Ratcheting design

**Model 2840**

max d	Wt [lb]	Quantity	Part No	DG
2	1.254	1	<b>53561</b>	5



**Viega PureFlow PEX tubing cutter**

- For use with Viega PureFlow tubing up to 1 1/2"
- Plastic

**Model V5055**

max d	Wt [lb]	Quantity	Part No	DG
1 1/2	0.401	1	<b>21307</b>	5

**Decoilers**



**Decoiler**

**Drum and base**

- For use with Viega Barrier PEX tubing sizes 1/2" to 3/4" and lengths 800' to 2000'

**Model 2875.6US**

max d	Wt [lb]	Quantity	Part No	DG
3/4	129.963	1	<b>21310</b>	4

## Staplers



**Stapler**  
 - For foam board insulation  
 - Suitable for staple Model 2890.0US  
 - Manual  
**Model 2891.1US**

	Wt [lb]	Quantity	Part No	DG
	7.057	1	<b>21432</b>	4



**Staple**  
 - Suitable for stapler Model 2891.1US  
 - Plastic  
Note  
 Smallest sellable quantity is 1 box of 300  
**Model 2890.0US**

L [in]	Wt [lb]	Quantity	Part No	DG
2½	0.006	300	<b>15312</b>	4

## Accessories



**Press tool battery**  
 - For use with Pressgun 6, Pressgun Picco 6,  
 or other compatible 18V tool platform  
 - Lithium-ion  
**Model 2998.63**

V	Wt [lb]	Quantity	Part No	DG
18 V, 2.5 Ah	1.100	1	<b>57260</b>	16
18 V, 5 Ah	1.763	1	<b>57261</b>	16



**Battery charger**  
 - For use with compatible 18V batteries  
Components  
 Charger, type A cable, vehicle cable  
**Model 2998.65**

V	Wt [lb]	Quantity	Part No	DG
120 V AC	2.189	1	<b>57262</b>	16



**Viega soft-sided tool case**  
 - 600D Nylon  
Components  
 Hard base, shoulder strap, 8 internal pockets,  
 8 external pockets  
**Model 2880.4**

	Wt [lb]	Quantity	Part No	DG
	3.168	1	<b>56066</b>	16



**Hole saw**  
 - Spare part for Press-In Branch Connector  
 tool kit Model 4878.5  
 - Steel  
**Model 4878**

d	Wt [lb]	Quantity	Part No	DG
1 1/16	0.140	1	<b>26975</b>	16



**Pilot bit**  
 - Spare part for Press-In Branch Connector  
 tool kit Model 4878.5  
 - Steel  
**Model 4879**

	Wt [lb]	Quantity	Part No	DG
	0.042	1	<b>26965</b>	16



**Press-In Branch Connector HEX adapter**

- For use with drill chuck without SDS-plus handle
  - Spare part for Press-In Branch Connector tool kit Model 4878.5
  - Steel
- Components  
Hex chuck  
**Model 4812.28**

	Wt [lb]	Quantity	Part No	DG
	0.149	1	<b>26837</b>	16



**Positioning guide**

- Spare part for Press-In Branch Connector tool kit Model 4878.5
  - Use with Viega MegaPress press-in branch connector Model 4812.2
  - Stainless steel
- Model 4878.6**

for d	Wt [lb]	Quantity	Part No	DG
1½	0.333	1	<b>26990</b>	16
2	0.476	1	<b>26991</b>	16
2½	0.555	1	<b>26992</b>	16
3	0.721	1	<b>26993</b>	16
4	0.961	1	<b>26994</b>	16
6	1.397	1	<b>26995</b>	16



**Press-In Branch Connector adapter SDS-plus drive**

- Spare part for Press-In Branch Connector tool kit Model 4878.5
  - Steel
- Model 4878.91**

	Wt [lb]	Quantity	Part No	DG
	0.134	1	<b>26955</b>	16



**Press-In Branch Connector tool**

- For installing Viega MegaPress press-in branch connectors
  - Spare part for Press-In Branch Connector tool kit Model 4878.5
  - Steel
- Model 4878.9**

	Wt [lb]	Quantity	Part No	DG
	1.245	1	<b>26925</b>	16



**Press-In Branch Connector bolt**

- Spare part for Press-In Branch Connector tool kit Model 4878.5
  - Use with Press-In Branch Connector tool Model 4878.9
  - Steel
- Model 4878.92**

	Wt [lb]	Quantity	Part No	DG
	0.256	1	<b>26960</b>	16



**Shoulder strap**

- Suitable for XL PressBooster 2½" MegaPress press ring Model 4896.2XL
  - Nylon
- Model 4897.4XL**

	Wt [lb]	Quantity	Part No	DG
	0.555	1	<b>26930</b>	16



**Replacement handle**

- For Z3 actuator
  - Plastic
- Model 4898.7XL**

	Wt [lb]	Quantity	Part No	DG
	0.309	1	<b>57082</b>	6



**Caliper**  
**Go/No-Go gauge**  
 - For use with Viega PureFlow Crimp fittings  
**Model V5054**

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2, 3/4	0.100	1	<b>53507</b>	5
1	0.065	1	<b>53511</b>	5