

PureFlow Press



PureFlow Press

Known for forward-thinking system solutions, Viega offers complete plumbing systems for potable water. By combining the highest-rated PEX tubing on the market (according to industry standards) with the revolutionary Viega ManaBloc and press manifolds, as well as press fittings, the Viega PureFlow System saves time, labor and cost. The first press system for the PEX market, Viega PureFlow Press fittings have factory-attached sleeves that improve consistency and reduce installation errors. Available in high-performance polymer and Viega Zero Lead bronze, Viega PureFlow Press fittings are ideal for residential and commercial jobs. Viega also offers fittings for easy copper-to-PEX transitions; and system-matched tools and press jaws make installation easy and consistent.

FEATURES AND BENEFITS

- The original press fitting for PEX tubing
- Factory-assembled fittings with attached stainless steel sleeves reduce installation errors
- Available in sizes from $\frac{3}{8}$ " to 2"
- The only PEX fittings with Viega Smart Connect technology
- Backed by a 25-year limited warranty

ZERO LEAD

Zero Lead identifies Viega products meeting the lead-free requirements of NSF-61-372 through testing under NSF/ANSI/CAN 372 (0.25% or less maximum weighted average lead content).

NOTE

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A green dot on a Viega PureFlow Press polymer fitting indicates Smart Connect technology.

Index

Tubing	128
Elbows	129
Tees	130
Adapters	131
Couplings	133
Manifolds	133
Stub-Outs	134
Lavatory adapters	134
Closet adapters	135
Outlet boxes	135
Accessories	136

Tubing



Viega PureFlow PEX tubing

- PEX
- Coil
- Technical Data
- PEX designation code 5306
- UV resistance 6 months
- ASTM F876, ASTM F877
- Model V5001**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	100	red	5.000	1	32101 ¹	1
3/8	500	red	21.000	1	32105 ¹	1
1/2	100	red	5.800	1	32121 ¹	1
1/2	300	red	17.100	1	32123 ¹	1
1/2	500	red	28.000	1	32125 ¹	1
1/2	1000	red	58.000	1	32120 ¹	1
3/4	100	red	11.000	1	32141 ¹	1
3/4	300	red	32.100	1	32143 ¹	1
3/4	500	red	53.000	1	32145 ¹	1
1	100	red	16.900	1	33323 ¹	1
1	300	red	50.700	1	32163 ¹	1
1	500	red	88.000	1	32165	1

¹⁾ center pull coil



Viega PureFlow PEX tubing

- PEX
- Straight length
- Technical Data
- PEX designation code 5306
- UV resistance 6 months
- ASTM F876, ASTM F877
- Model V5001.5**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	20	red	1.060	50	33120	1
3/4	20	red	2.040	25	33145	1
1	20	red	3.420	15	33270	1



Viega PureFlow PEX tubing

- PEX
- Coil
- Technical Data
- PEX designation code 5306
- UV resistance 6 months
- ASTM F876, ASTM F877
- Model V5002**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	100	blue	5.000	1	32201 ¹	1
3/8	500	blue	21.000	1	32205 ¹	1
1/2	100	blue	5.300	1	32221 ¹	1
1/2	300	blue	17.100	1	32223 ¹	1
1/2	500	blue	26.500	1	32225 ¹	1
1/2	1000	blue	55.000	1	32220 ¹	1
3/4	100	blue	11.000	1	32241 ¹	1
3/4	300	blue	32.100	1	32243 ¹	1
3/4	500	blue	53.000	1	32245 ¹	1
1	100	blue	17.000	1	32266 ¹	1
1	300	blue	50.700	1	32263 ¹	1
1	500	blue	88.000	1	32265	1

¹⁾ center pull coil



Viega PureFlow PEX tubing

- PEX
- Straight length
- Technical Data
- PEX designation code 5306
- UV resistance 6 months
- ASTM F876, ASTM F877
- Model V5002.5**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	20	blue	1.060	50	33240	1
3/4	20	blue	2.040	25	33265	1
1	20	blue	3.420	15	33271	1



Viega PureFlow PEX tubing

- For installation between studs
- PEX
- ManaPac
- Components
- Recycled plastic reels
- Technical Data
- PEX designation code 5306
- UV resistance 6 months
- ASTM F876, ASTM F877
- Model V5004**

d	L [ft]	Reel(s)	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	1	blue	28.000	1	32905	1
3/8	500	1	red	28.000	1	32805	1
1/2	300	1	blue	23.100	1	32923	1
1/2	300	1	red	23.100	1	32823	1


Viega PureFlow PEX tubing

- PEX
- Coil
- Technical Data
- PEX designation code 5306
- UV resistance 6 months
- ASTM F876, ASTM F877
- Model V5003**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
¼	100	white	3.200	1	32011	1
¾	100	white	5.000	1	32001¹	1
¾	500	white	21.000	1	32005¹	1
½	100	white	6.000	1	32021¹	1
½	300	white	17.100	1	32023¹	1
½	500	white	28.000	1	32025¹	1
½	1000	white	55.000	1	32020¹	1
¾	100	white	11.000	1	32041¹	1
¾	300	white	32.100	1	32043¹	1
¾	500	white	53.000	1	32045¹	1
1	100	white	17.000	1	32061¹	1
1	300	white	51.900	1	32063¹	1
1	500	white	88.000	1	32065	1
1¼	100	white	25.500	1	32062	1
1¼	300	white	76.500	1	32042	1
1½	100	white	35.300	1	32064	1
2	100	white	63.000	1	32060	1

¹ center pull coil

Viega PureFlow PEX tubing

- PEX
- Straight length
- Technical Data
- PEX designation code 5306
- UV resistance 6 months
- ASTM F876, ASTM F877
- Model V5003.5**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
½	20	white	1.080	50	33020	1
¾	20	white	2.060	25	33045	1
1	20	white	3.420	15	33061	1
1¼	20	white	5.100	1	35801	1
1½	20	white	7.060	5	35805	1
2	20	white	12.600	5	35811	1


Viega PureFlow PEX tubing Sleeved

- PEX
- Coil
- Note
- HDPE sleeve
- ASTM F876, ASTM F877
- Model V5001.2**

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
½	100	white	12.000	1	33830	1
¾	100	white	19.000	1	33831	1
1	100	white	32.000	1	33832	1

Elbows

Viega PureFlow Press 90° elbow Zero Lead

- Bronze
- Press connection
- Model 2816ZL**

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.086	10	93520	6
¾	¾	0.156	10	93540	6
1	1	0.212	10	93560	6
1¼	1¼	0.359	5	93570	6
1½	1½	0.450	5	93580	6


Viega PureFlow Press 90° elbow Smart Connect Technology

- Polymer
- Press connection
- Model V5616**

P1	P2	Wt [lb]	Quantity	Part No	DG
¾	¾	0.023	25	49210	6
½	½	0.029	250	49220	6
¾	¾	0.047	250	49240	6
1	1	0.080	10	49260	6
1¼	1¼	0.171	5	49270	6
1½	1½	0.220	5	49280	6
2	2	0.377	1	49290	6


PureFlow Press 45° elbow Smart Connect Technology

- Polymer
- Press connection
- Model V5626**

P1	P2	Wt [lb]	Quantity	Part No	DG
1½	1½	0.235	1	49285	6
2	2	0.300	1	49286	6



Viega PureFlow Press 90° elbow Zero Lead
 - Bronze
 - Press connection, male pipe thread
Model 2814ZL

P	MPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.202	10	92520	6
1/2	3/4	0.315	10	92525	6
3/4	3/4	0.317	10	92540	6
3/4	1	0.748	10	92545	6
3/4	1 1/4	1.210	2	92565	6
1	1	0.743	10	92560	6
1	1 1/4	1.201	2	92570	6
1 1/4	1 1/4	1.270	2	92757	6
1 1/2	1 1/2	1.415	2	92580	6



Viega PureFlow Press 90° elbow Zero Lead
 - Bronze
 - Press connection, female copper tube size
Model 2814.5ZL

P	C	Wt [lb]	Quantity	Part No	DG
1/2	3/4	0.333	10	99308	6
3/4	3/4	0.322	10	99309	6



Viega PureFlow Press 90° elbow Zero Lead
 - Bronze
 - Press connection, street
Model 2814.6ZL

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.178	10	99310	6



Viega PureFlow Press 90° elbow Zero Lead
 - Bronze
 - Press connection, street, female copper tube size
Model 2814.7ZL

Note
 Copper connection can be used as either male or female connection.

P	FTG (CTS)	C	Wt [lb]	Quantity	Part No	DG
1/2	3/4	1/2	0.329	10	99307	6
3/4	3/4	1/2	0.319	10	99311	6



Viega PureFlow Press 90° drop ear elbow Zero Lead
 - Bronze
 - Press connection, female pipe thread
Model 2825.5ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.234	10	94505	6
1/2	1/2	0.212	10	94520	6
3/4	1/2	0.226	10	94535	6
3/4	3/4	0.287	10	94540	6

Tees



Viega PureFlow Press tee Zero Lead
 - Bronze
 - Press connection
Model 2818ZL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/2	0.107	10	94020	6
1/2	1/2	3/4	0.194	10	94022	6
3/4	1/2	1/2	0.177	10	94032	6
3/4	1/2	3/4	0.177	10	94034	6
3/4	3/4	1/2	0.185	10	94036	6
3/4	3/4	3/4	0.182	10	94040	6
1	1/2	1/2	0.282	10	94037	6
1	1/2	1	0.233	10	94039	6
1	3/4	1/2	0.287	10	94038	6
1	3/4	3/4	0.220	10	94052	6
1	3/4	1	0.242	10	94053	6
1	1	1/2	0.216	10	94050	6
1	1	3/4	0.262	10	94056	6
1	1	1	0.296	10	94060	6
1 1/4	1 1/4	3/4	0.547	5	94072	6



Viega PureFlow Press tee
Smart Connect Technology
 - Polymer
 - Press connection
Model V5618

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
3/8	3/8	3/8	0.035	25	49200	6
1/2	3/8	3/8	0.036	25	49322	6
1/2	1/2	3/8	0.039	25	49332	6
1/2	1/2	1/2	0.042	25	49520	6
1/2	1/2	3/4	0.052	25	49334	6
3/4	1/2	1/2	0.052	25	49433	6
3/4	1/2	3/4	0.061	25	49434	6
3/4	3/4	1/2	0.059	25	49443	6
3/4	3/4	3/4	0.068	25	49540	6
1	1/2	1/2	0.068	10	49533	6
1	1/2	1	0.097	10	49535	6
1	3/4	1/2	0.074	10	49543	6
1	3/4	3/4	0.084	10	49544	6
1	3/4	1	0.104	10	49545	6
1	1	1/2	0.088	10	49553	6
1	1	3/4	0.102	10	49554	6
1	1	1	0.115	10	49560	6
1 1/4	1	3/4	0.150	5	49754	6
1 1/4	1	1	0.166	5	49755	6
1 1/4	1 1/4	1/2	0.245	5	49888	6
1 1/4	1 1/4	3/4	0.182	5	49774	6
1 1/4	1 1/4	1	0.206	5	49775	6
1 1/4	1 1/4	1 1/4	0.250	5	49570	6
1 1/2	1	3/4	0.170	5	49854	6
1 1/2	1	1	0.195	5	49855	6
1 1/2	1	1 1/2	0.245	5	49886	6
1 1/2	1 1/4	3/4	0.205	5	49874	6
1 1/2	1 1/4	1	0.225	5	49875	6
1 1/2	1 1/4	1 1/4	0.275	5	49877	6
1 1/2	1 1/2	1/2	0.214	5	49883	6
1 1/2	1 1/2	3/4	0.233	5	49884	6
1 1/2	1 1/2	1	0.245	5	49885	6
1 1/2	1 1/2	1 1/4	0.290	5	49887	6
1 1/2	1 1/2	1 1/2	0.326	5	49580	6
2	1 1/2	3/4	0.001	1	49984	6
2	1 1/2	1	0.315	1	49985	6
2	1 1/2	1 1/4	0.365	1	49987	6
2	1 1/2	1 1/2	0.390	1	49988	6
2	2	1/2	0.309	1	49993	6
2	2	3/4	0.355	1	49994	6
2	2	1	0.373	1	49995	6
2	2	1 1/4	0.405	1	49997	6
2	2	1 1/2	0.435	1	49998	6
2	2	2	0.500	1	49590	6



PureFlow Press tee arrestor
Zero Lead
 - Brass
 Components
 Water hammer arrestor
Model 2894ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.297	10	97114	6

Adapters



Viega PureFlow Press adapter
Zero Lead
 - Bronze
 - Press connection, male pipe thread
Model 2811ZL

P	MPT	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.101	10	90506	6
1/2	1/2	0.098	10	90521	6
1/2	3/4	0.152	10	90526	6
3/4	1/2	0.113	10	90542	6
3/4	3/4	0.160	10	90541	6
3/4	1	0.283	10	90546	6
3/4	1 1/4	0.507	2	90562	6
1	3/4	0.182	10	90556	6
1	1	0.284	10	90561	6
1	1 1/4	0.524	2	90566	6
1 1/4	1 1/4	0.564	2	90571	6
1 1/2	1 1/2	0.683	2	90581	6
2	2	1.104	5	90591	6



Viega PureFlow Press adapter Zero Lead
 - Bronze
 - Press connection, female pipe thread
Model 2812ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.098	10	91520	6
1/2	3/4	0.135	10	91525	6
3/4	1/2	0.110	10	91541	6
3/4	3/4	0.141	10	91540	6
1	3/4	0.166	10	91545	6
1	1	0.239	10	91560	6
1 1/4	1 1/4	0.436	5	91570	6
1 1/2	1 1/2	0.511	5	91580	6
2	2	0.818	5	91590	6



Viega PureFlow Press adapter Zero Lead
 - Bronze
 - Press connection, female copper tube size
Model 2813.5ZL

P	C	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.062	10	92006	6
1/2	1/2	0.063	10	92021	6
1/2	3/4	0.099	10	92026	6
3/4	1/2	0.067	10	92036	6
3/4	3/4	0.113	10	92041	6
3/4	1	0.176	10	92045	6
1	1	0.186	10	92060	6
1 1/4	1 1/4	0.323	5	92070	6
1 1/2	1 1/2	0.436	5	92080	6
2	2	0.655	5	92090	6



Viega PureFlow Press adapter Zero Lead
 - Bronze
 - Press connection, street
Note
 ProPress tool and press jaw required
Model 2813.1ZL

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.064	10	97520	6
1/2	3/4	0.094	10	97525	6
3/4	1/2	0.079	10	97535	6
3/4	3/4	0.101	10	97540	6
3/4	1	0.154	10	97545	6
1	1	0.175	10	97560	6
1 1/4	1 1/4	0.305	5	97570	6
1 1/2	1 1/2	0.436	5	97580	6
2	2	0.696	5	97590 ¹	6

¹ for use with solder fittings only



Viega PureFlow Press adapter Zero Lead
 - Bronze
 - Press connection
Note
 2" ProPress tool and press jaw required
Model 2813.3ZL

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
2	2	0.748	5	97690 ¹	6

¹ for use with Viega ProPress fittings only



Viega PureFlow Press adapter Zero Lead
 - Bronze
 - Press connection, polybutylene (PB) connection
 - Does not include crimp ring
Model 2813.2ZL

P	PB	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.049	10	97820	6
3/4	3/4	0.072	10	97840	6



Viega PureFlow Press adapter Zero Lead
 - Bronze
 - Press connection, flare connection
Model 2892ZL

P	Flare	Wt [lb]	Quantity	Part No	DG
3/4	3/4	0.275	10	97140	6
1	3/4	0.327	10	97160	6
1	1	0.414	10	97165	6



Viega PureFlow Press tailpiece Zero Lead
 - Bronze
 - Press connection, female union BSP
Model 2893ZL

P	F BSP	Wt [lb]	Quantity	Part No	DG
3/4	1	0.195	10	96140	6
1	1	0.240	10	96160	6
1	1 1/4	0.343	10	96165	6

Couplings



**Viega PureFlow Press coupling
Zero Lead**
- Bronze
- Press connection
Model 2815ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.041	10	93000	6
1/2	1/2	0.052	10	93020	6
3/4	1/2	0.070	10	93050	6
3/4	3/4	0.073	10	93040	6
1	3/4	0.113	10	93055	6
1	1	0.131	10	93060	6
1 1/4	1	0.210	5	93065	6
1 1/4	1 1/4	0.260	5	93070	6
1 1/2	1	0.246	5	93073	6
1 1/2	1 1/2	0.317	5	93080	6



**Viega PureFlow Press coupling
Smart Connect Technology**
- Polymer
- Press connection
Model V5615

P1	P2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.022	25	49402	6
1/2	3/8	0.024	25	49342	6
1/2	1/2	0.027	25	49403	6
3/4	1/2	0.034	25	49343	6
3/4	3/4	0.040	25	49404	6
1	3/4	0.055	10	49354	6
1	1	0.068	10	49405	6
1 1/4	3/4	0.101	5	49347	6
1 1/4	1	0.112	5	49357	6
1 1/4	1 1/4	0.151	5	49407	6
1 1/2	3/4	0.118	5	49348	6
1 1/2	1	0.133	5	49358	6
1 1/2	1 1/4	0.165	5	49378	6
1 1/2	1 1/2	0.190	5	49408	6
2	1 1/2	0.270	1	49398	6
2	2	0.305	1	49409	6



**Viega PureFlow Press test plug
Smart Connect Technology**
- Polymer
- Press connection
Model V5656

P	Wt [lb]	Quantity	Part No	DG
3/8	0.011	25	49722	6
1/2	0.015	25	49723	6
3/4	0.022	25	49744	6
1	0.038	10	49765	6
1 1/4	0.082	5	49770	6
1 1/2	0.095	5	49780	6
2	0.154	1	49790	6



**Viega PureFlow Press transition coupling
Smart Connect Technology
Zero Lead**

- For transitioning between Viega PureFlow Press and Viega ProPress
- Bronze
- Press connection

Components

EPDM sealing elements

Note

ProPress and PureFlow tool and press jaws required

Model 2813PZL

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.076	10	99620	6
1/2	3/4	0.115	10	99626	6
3/4	1/2	0.078	10	99630	6
3/4	3/4	0.115	10	99640	6
1	3/4	0.136	10	99645	6
1	1	0.184	10	99660	6
1 1/4	1	0.236	5	99665	6
1 1/4	1 1/4	0.287	5	99670	6
1 1/2	1 1/2	0.447	5	99680	6
2	2	0.723	5	99690	6

Manifolds



**Viega PureFlow Press manifold
Smart Connect Technology**

- Only use with lock clip Part No 58075
- Polymer
- Press connection
- Flow through
- Does not include mounting hardware
Model V5636

Outlet(s)	P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2	3/4	3/4	1/2	0.202	10	49152	6
3	3/4	3/4	1/2	0.255	10	49153	6
4	3/4	3/4	1/2	0.318	10	49054	6
4	1	3/4	1/2	0.330	10	49254	6
6	1	1	1/2	0.455	10	49256	6
8	1	1	1/2	0.576	5	49258	6



**Viega PureFlow Press manifold
Smart Connect Technology**

- Only use with lock clip Part No 58075
 - Polymer
 - Press connection
 - Closed
 - Does not include mounting hardware
- Model V5636.1**

Outlet(s)	P1	P2	P3	Wt [lb]	Quantity	Part No	DG
4	closed	3/4	1/2	0.300	10	49004	6
6	closed	1	1/2	0.428	10	49206	6
8	closed	1	1/2	0.549	5	49208	6

Stub-Outs



Viega PureFlow Press 90° tub elbow

- Brazed copper
 - Press connection, street
- Model 2820.0ZL**


P	FTG (CTS)	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
1/2	1/2	3	6	0.258	25	92221	6



Viega PureFlow Press 90° stub-out

- Brazed copper
 - Press connection, street
- Model 2820.1ZL**

P	FTG (CTS)	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
3/8	1/2	3 1/2	8	0.320	25	92406	6
1/2	1/2	3 1/2	8	0.332	25	92421	6
3/4	3/4	4	8	0.533	25	92441	6
1	1	6	8		25	92446	6



Viega PureFlow Press 90° stub-out

- Brazed copper
 - Press connection, street
- Components
Wall plate
- Model 2820.4ZL**

P	FTG (CTS)	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
3/8	1/2	3 1/2	8	0.364	25	92305*	6
1/2	1/2	3 1/2	8	0.368	25	92321	6

* = Available while supplies last



Viega PureFlow Press stub-out

- Brazed copper
 - Press connection, street
- Model 2820.2ZL**

P	FTG (CTS)	L [in]	Wt [lb]	Quantity	Part No	DG
1/2	1/2	8	0.258	25	92609	6
1/2	1/2	15	0.422	25	92616	6

Lavatory adapters



**Viega PureFlow Press lavatory adapter
Smart Connect Technology**

- Polymer
 - Press connection, lavatory connection
- Model V5613.3**

P	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.050	10	49324	6
1/2	1/2	0.055	10	49333	6
3/4	3/4	0.080	5	49344	6



**Viega PureFlow Press adapter
Zero Lead**

- Equipped with ferrule Part No 53005
 - Bronze
 - Press connection, compression
- Components
Brass ferrule
- Model 2895ZL**

P	CTS	Wt [lb]	Quantity	Part No	DG
3/8	1/4	0.111	1	97112*	6
1/2	1/4	0.125	1	97113	6

* = Available while supplies last



Cone seal

- Spare part for Viega PureFlow Crimp stop valve straight Model V5036.30, Viega PureFlow Crimp lavatory adapter Model V5075ZL, Viega PureFlow Crimp 90° lavatory elbow Model V5255, Viega PureFlow Crimp lavatory adapter Model V5263, Viega PureFlow Press lavatory adapter Model V5613.3
- Model V5084.1**

d	Wt [lb]	Quantity	Part No	DG
1/2	0.002	100	43721	2
3/4	0.003	100	43740	2

Closet adapters



**Viega PureFlow Press closet adapter
Smart Connect Technology**
- Polymer
- Press connection, closet connection
Model V5613.4

P	Closet	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.060	5	49223	6
1/2	1/2	0.062	5	49233	6



Cone seal
- Spare part for Viega PureFlow Crimp closet adapter Model V5072ZL, V5257, Viega PureFlow Press closet adapter Model V5613.4
Model V5084

d	Wt [lb]	Quantity	Part No	DG
1/2	0.004	100	43820	2

Outlet boxes



**Viega PureFlow Press outlet box
Zero Lead**
- For washing machine
- Color coded handles
Components
(2) 1/4 turn brass valves, water hammer arrestors
Model 2872.6ZL

P	Wt [lb]	Quantity	Part No	DG
1/2	1.799	1	97212	6



**Viega PureFlow Press fire-rated outlet box
Zero Lead**
- For washing machine
- Color coded handles
Components
(2) 1/4 turn brass valves, water hammer arrestors
Model 2872.2

P	Wt [lb]	Quantity	Part No	DG
1/2	3.999	1	97008	6




**Viega PureFlow Press outlet box
Zero Lead**
- For ice maker
Components
1/4 turn brass valve, water hammer arrestor
Model 2872.7ZL

P	Wt [lb]	Quantity	Part No	DG
1/2	0.980	1	97220	6



**Viega PureFlow Press outlet box
Zero Lead**
- For washing machine
- Color coded handles
Components
(2) 1/4 turn brass valves
Model 2872.1US

P	Wt [lb]	Quantity	Part No	DG
1/2	1.549	1	97001	6



**Viega PureFlow Press fire-rated outlet box
Zero Lead**
- For washing machine
- Color coded handles
Components
(2) 1/4 turn brass valves
Model 2872.6

P	Wt [lb]	Quantity	Part No	DG
1/2	3.779	1	97006	6



Viega PureFlow Press outlet box Zero Lead
 - For ice maker
Components
 ¼ turn brass valve
Model 2872.0ZL

P	Wt [lb]	Quantity	Part No	DG
½	0.870	1	98000	6



Viega PureFlow Press fire-rated outlet box Zero Lead
 - For ice maker
Components
 ¼ turn brass valve
Model 2872.5

P	Wt [lb]	Quantity	Part No	DG
½	1.450	1	98001	6



Tubing
 - Only for cold water applications
 - For ice maker
 - High density polyethylene (HDPE)
Note
 ¼" OD
Model V5052

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
½	100	white	1.200	1	43100	1



Box frame
 - For washing machine
 - Plastic
Model 2885.0ZL

	Wt [lb]	Quantity	Part No	DG
	0.160	1	97103	6



Box frame
 - For ice maker
 - Plastic
Model 2873.7ZL


	Wt [lb]	Quantity	Part No	DG
	0.150	1	97102	6

Accessories




Viega PureFlow Press sleeve
 - Only for Viega PureFlow Press polymer fittings
 - Stainless steel
Model V5615.3

d	Wt [lb]	Quantity	Part No	DG
¾	0.009	10	49901	6
½	0.012	10	49902	6
¾	0.015	10	49903	6
1	0.025	10	49904	6
1¼	0.053	10	49905	6
1½	0.065	10	49906	6
2	0.085	10	49607	6




Lavatory riser
 - Does not include lavatory nut Model V5089
 - Equipped with ferrule Model V5085
 - PEX
Model V5080

CTS	O.D.	L [in]	Wt [lb]	Quantity	Part No	DG
¼	¾	20	0.046	100	58120	2
¼	¾	30	0.068	100	58130	2
¼	¾	36	0.085	100	58136	2




Closet riser
 - Does not include ballcock nut Model V5089.1
 - Equipped with ferrule Model V5085
 - PEX
Model V5081

CTS	O.D.	L [in]	Wt [lb]	Quantity	Part No	DG
¼	¾	12	0.031	100	57112	2
¼	¾	20	0.050	100	57120	2




Lavatory nut
 - Suitable for lavatory riser Model V5080
Model V5089

FPT	Wt [lb]	Quantity	Part No	DG
½	0.017	100	33705	2



Ballcock nut
 - Suitable for closet riser Model V5081
 - Plastic
Model V5089.1

FPT	Wt [lb]	Quantity	Part No	DG
¾	0.023	100	53017	2



Ferrule
 - For Viega ManaBloc compression connections, risers, Valves
 - Plastic
Model V5085

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
⅛	¼	0.001	100	53000	2
¼	¾	0.001	100	53005	2
¾	½	0.001	50	53015	2
½	¾	0.001	100	53020	2




Insert stiffener
 - For Viega ManaBloc compression connections, risers
 - Stainless steel
Model V5086

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
¾	½	0.003	50	56110	2
½	¾	0.005	50	56120	2
¾	7/8	0.010	50	56140	2




Escutcheon Single
 - Not suitable for Viega FostaPEX
 - Plastic
Model V5088

d	Version	Wt [lb]	Quantity	Part No	DG
¾	white	0.012	50	53115	2
½	white	0.012	50	53120	2



Escutcheon Double
 - Not suitable for Viega FostaPEX
 - Plastic
Model V5088.1

d	Version	Wt [lb]	Quantity	Part No	DG
¾	white	0.017	25	53116	2
½	white	0.016	25	53121	2



Sleeve
 - Not suitable for use with Viega FostaPEX
 - Chrome-plated brass
 - Finishing
Model 2800.5US

d	L [in]	Wt [lb]	Quantity	Part No	DG
¾	3½	0.041	10	52500	2
½	3½	0.058	10	52520	2



**Tubing support
Dual ceiling**
- Use with tubing insulator Model V5041.1
- Steel
Model V5041.0

max d	Wt [lb]	Quantity	Part No	DG
1	0.163	25	45750	2



Tubing insulator
- Use with tubing support dual ceiling Model V5041.0
- Plastic
Model V5041.1

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.020	100	45760	2



**Bracket
Telescoping**
- Suitable for Viega PureFlow Press 90° drop ear elbow Model 2825.5ZL
- Steel
Model V5041.4

L [in]	Wt [lb]	Quantity	Part No	DG
14.5-24	0.518	50	45790	2



Bracket
- For mounting on 16" center studs
- Use with bend support snap in Model 2850.3US, tubing clamp stub-out Model V5041.2
- Steel
- Mounting holes on 2" centers
Model 2850.4US

d	L [in]	Wt [lb]	Quantity	Part No	DG
1/2	18	0.564	50	51022	2



**Tubing clamp
Stub-out**
- Use with bracket Model 2850.4US
- Plastic
Model V5041.2

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.060	50	45770	2




**Bend support
Snap in**
- Not suitable for Viega FostaPEX
- Suitable for bracket Model 2850.4US
- Plastic
Model 2850.3US

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.079	100	51021	2




**Bend support
Drop ear**
- Not suitable for Viega FostaPEX
- Plastic-coated steel
Model 2850.1US

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2	0.198	25	50520	2




Bend support
 - Not suitable for Viega FostaPEX
 - Plastic
Model 2850.2US

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.083	25	51020	2
5/8, 3/4	0.154	25	51040	2
1	0.258	25	51060	2



Bend support
 - For in slab applications
 - Not suitable for Viega FostaPEX
 - Plastic
Model 2851US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.075	10	15106	4
1/2	0.127	10	15107	4
5/8, 3/4	0.190	10	15108	4




Tubing clamp
Turn out
 - For 3/8" tubing and 1/2" tubing with standard or stub-out elbows
 - Not suitable for Viega FostaPEX
 - Plastic
 - Trim tapered tip to use with 1/2" tubing
Model V5071

max d	Wt [lb]	Quantity	Part No	DG
1/2	0.076	25	52130	2




J-clamp tubing fastener
 - Plastic
Components
 Nail
Model 2860US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.006	100	52000	2
1/2	0.008	100	52020	2
3/4	0.013	100	52040	2
1	0.021	100	52060	2



Economy PEX tubing clamp
 - Not suitable for Viega FostaPEX
 - Plastic
Model V5095


for d	Wt [lb]	Quantity	Part No	DG
3/8	0.002	100	52110	2
1/2	0.003	100	52120	2
3/4	0.004	50	52140	2



Lock clip
 - Plastic
Model 2863US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.009	100	58071	2
1/2	0.013	100	58072¹⁾	2
3/4	0.009	50	58073	2
1	0.020	50	58074	2
1 1/4	0.030	50	58075	2
1 1/2	0.040	25	58076	2
2	0.050	15	58077	2

¹⁾ Suitable for Viega Barrier PEX tubing Part No 11445, 11450



Multi-clip
 - Plastic
Components
 Strut clamp
Model 2867.1US

max d	Wt [lb]	Quantity	Part No	DG
2	0.090	1	52017*	2

* = Available while supplies last



U-channel fastener
 - Plastic
 - Pre-drilled holes
Model 2864US

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	6 1/2	1.029	16	15310	4



Suspension clip tubing fasteners
 - Plastic
Model 2861US

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.010	50	55020	2
3/4	0.012	50	55040	2
1 1/2	0.031	25	55080	2



Tubing insulator
 - Plastic
 - Fits 1 3/8" hole
Model V5094

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.018	50	55100	2
1/2	0.019	50	55120	2
3/4	0.013	50	55140	2
1	0.013	50	55160	2



Zip tie
 - Plastic
Model V5097

L [in]	Wt [lb]	Quantity	Part No	DG
14	0.013	100	43714	2



Pipe support
 - Not suitable for ViEGA FostaPEX
 - Steel
Model V5083

d	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	10	1.300	5	68434	2
3/4	10	1.999	5	68435	2
1	10	1.869	5	68430	2
1 1/4	10	1.825	5	68431	2
1 1/2	10	2.542	5	68432	2
2	10	3.132	5	68433	2