Connected in quality.

RESIDENTIAL

SOLUTIONS

SAFE, CONSISTENT CONNECTIONS

WITH VIEGA® PRESS TECHNOLOGY

.....



Viega products can be pressed in seconds wet or dry, a significant time savings over traditional methods. There is no need to drain the full system and pressure tests can be performed immediately.



With no hot work, fire watches are unnecessary. That means there's no need for additional manpower, plus you can skip the messy or labor-intensive tools.



Quality you can depend on, tested to the limit. Viega fittings tested in 6 different seismic events in conjunction with ICC-ES AC 156, the most widely recognized testing procedure referenced in ASCE 7, the International Building Code (IBC), and Health Care Access and Information (HCAI).



Viega press fittings offer safer and more consistent connections than traditional methods. Unlike traditional connections, you don't have to jeopardize the integrity of the pipe to get a dependable connection.

viega

PUREFLOW®

PEX PRESS FITTINGS

MECHANICAL PRESS CONNECTION

OPERATING TEMPERATURE: 180°F (POTABLE); 200°F (HYDRONIC)

PRESSURE: UP TO 160PSI

SIZE: 3/8" - 2"

PureFlow is the only system in the industry that offers press-to-press transition fittings – allowing you to easily transition from PureFlow PEX to ProPress in traditional branch and tee installations. Looking to reduce the number of fittings behind the wall? PureFlow lets you install remote manifolds giving each fixture in a building its own PEX tubing line.



PROPRESS®

COPPER PRESS FITTINGS

SEALING ELEMENTS: EPDM

OPERATING TEMPERATURE: 0°F TO 250°F

PRESSURE: 300PSI SIZE: ½" – 4"

Viega ProPress is the proven solution for nearly any industrial, commercial or residential project. With choices in sealing elements, system-matched tools, rings and jaws, press connections are made in seconds, making Viega ProPress suitable for many standard applications.



MEGAPRESS® G CARBON STEEL PRESS FITTINGS

SEALING ELEMENTS: HNBR

OPERATING TEMPERATURE: -40°F TO 180°F

PRESSURE: 125PSI

SCH: 5 - 40 SIZE: ½" - 4"

Viega MegaPressG fittings are a safe and fast way to connect gas pipe. MegaPressG press fittings and valves are easy to install, saving you time and labor, and are compatible with a wide range of approved applications, including natural gas and propane.







This document is subject to updates. For the most current Viega literature please visit www.viega.us The term Viega does not apply to a specific company within the various separate and distinct companies comprising the Viega group of companies. The term Viega as used in this publication refers to the Viega brand itself or generally to the Viega group of companies. References to activities in North America specifically refer to activities of Viega LLC. Viega products are designed to be installed by licensed and trained plumping and mechanical professionals who are familiar with Viega products and their installation by non-professionals may void Viega LLC's warranty. ©2023, Viega®, MegaPress®, ProPress®, Smart Connect®, XL®, and Viega: Connected in quality® are trademarks of Viega Holding GmbH & Co. KG.



Viega LLC

585 Interlocken Blvd. Broomfield, CO 80021 USA

Phone (800) 976-9819

viega.us



SCAN WITH PHONE TO LEARN MORE

