

Food + Beverage Solutions

# REDUCE DOWNTIME.

WITH VIEGA® PRESS TECHNOLOGY

Connected in quality.



**viega**

| [viega.us](http://viega.us)



## MEGAPRESS® STAINLESS 304 + 316

**SEALING ELEMENTS:** FKM, EPDM

**MATERIAL:** 304 OR 316 STAINLESS

**PRESSURE:** VACUUM TO 200PSI

**SCH:** 5 - 40

**SIZE:** ½" - 4"



Designed for Iron Pipe Size (IPS) stainless steel, Viega's MegaPress stainless in 304 and 316 alloys supports more applications than ever before. From potable water, to acids, and cleaning agents, Viega MegaPress stainless stands up to the toughest jobs while keeping appearance clean.

## MEGAPRESS®

**SEALING ELEMENTS:** FKM, HNBR, EPDM

**MATERIAL:** CARBON STEEL

**PRESSURE:** VACUUM TO 200PSI

**SCH:** 5 - 40

**SIZE:** ½" - 4"



Ideal for facility utility needs, the Viega MegaPress system is easy to use, flameless, and reliable. Most often used for natural gas, hydronics, and compressed air, MegaPress leaves no joining material buildup, exposed threads or tarnish, creating a clean, professional appearance.

## PROPRESS® 316

**SEALING ELEMENTS:** FKM, EPDM

**MATERIAL:** 304 OR 316 STAINLESS

**PRESSURE:** VACUUM TO 200PSI

**SIZE:** ½" - 4"



Viega ProPress Stainless is engineered for harsh industrial environments where the piping systems may come into contact with corrosive cleaning liquids. Available in 316 alloy, Viega ProPress stainless is a great option for water, air, acidic, and cleaning solution applications while being light and easy to work with.

## PROPRESS®

**SEALING ELEMENTS:** EPDM, FKM

**MATERIAL:** COPPER

**PRESSURE:** VACUUM TO 300PSI

**SIZE:** ½" - 4"



Viega ProPress is the proven solution for nearly any industrial, commercial or residential project. With choices in sealing elements, system-matched tools, rings and jaws, press connections are made in seconds, making Viega ProPress suitable for virtually any type of project.

Approved applications depend on alloy and sealing element. For more specific information on applications, contact Viega Technical Services at (800) 976-9819. For a list of applications, please visit [viega.us](http://viega.us).





# FEATURES + BENEFITS



**Viega products can be pressed in seconds wet or dry**, a significant time savings over traditional methods. With Viega, there is no need to drain the full system and pressure tests can be performed immediately.



**With no hot work, fire watches are unnecessary.** That means there's no need for additional manpower, plus you can skip the messy or labor-intensive tools.



**With Viega's Smart Connect® technology, you'll know every connection is made correctly.** Smart Connect helps easily identify unpressed connections, so if one was missed it's easy to locate and press without having to drain the system.



**Connections you can depend on, appearance an inspector would admire.** Viega fittings come factory assembled from an ISO 9001 facility, eliminating variability in the field. Unlike groove or threaded connections, you don't need to reduce pipe wall thickness. Unlike messy processes like welding and threading, Viega fittings eliminates slag spatter and messy cutting oils and dope from jobsite.



**Viega press fittings offer safer and more consistent connections than traditional methods.** Installations can be made anywhere, in any condition. Unlike grooved and threaded connections, you don't have to jeopardize the integrity of the pipe to get the dependable connection you need.

APPLICATION	COPPER	CARBON STEEL	STAINLESS STEEL	PLASTIC
Acetic Acid			✓	
Cooking Oil			✓	
EcoLab			✓	
Potassium Hydroxide			✓	
Sucrose			✓	
Potable Water	✓		✓	✓
Chilled Water/ Heating Water	✓	✓	✓	✓
Treated Water (RO/DI)			✓	
Fire Sprinkler	✓	✓	✓	
Low pressure steam		✓	✓	
Natural Gas		✓		
Compressed Air/Vacuum	✓	✓	✓	

Hundreds of approved applications exist and some are included above. For a complete list of approved applications, or to submit a chemical compatibility request. Please reach out to your local Viega Sales Representative.



# REDUCE DOWNTIME.

WITH VIEGA® PRESS TECHNOLOGY

Tool	Attachment	ProPress	MegaPress
Ridgid 350/351	Standard Jaws	½ - 2	½ - 1
	V2 Actuator and Rings	1½ - 4	1¼ - 2
	MegaPress XL Booster		2½ - 4
Ridgid RP 342-XL	Standard Jaws	½ - 2	½ - 1
	V2 Actuator and Rings	2½ - 4	1¼ - 2
	Z3 Actuator and Rings		2½ - 4
Milwaukee M18	M18 Jaws	½ - 2	½ - 1
	M18 Rings	2½ - 4	1¼ - 2
Milwaukee M18 Long Throw	M18 Jaws	½ - 2	½ - 1
	M18 Rings	2½ - 4	1¼ - 2
	Z3 Actuator and Rings		2½ - 4



This document is subject to updates. For the most current Viega literature please visit [www.viega.us](http://www.viega.us)

The term Viega does not apply to a specific company within the various separate and distinct companies comprising the Viega group of companies. The term Viega as used in this publication refers to the Viega brand itself or generally to the Viega group of companies. References to activities in North America specifically refer to activities of Viega LLC.


Zero Lead identifies Viega products meeting the lead-free requirements of NSF 61-G through testing under NSF/ANSI 372 (0.25% or less maximum weighted average lead content).

Viega products are designed to be installed by licensed and trained plumbing and mechanical professionals who are familiar with Viega products and their installation. Installation by non-professionals may void Viega LLC's warranty.

©2022, Viega®, ManaBloc®, MegaPress®, ProPress®, SeaPress®, Smart Connect®, Climate Mat®, Climate Panel®, Climate Trak®, PureFlow®, XL®, and Viega: Connected in quality® are trademarks of Viega Holding GmbH & Co. KG. Eco Brass® is a registered trademark of Mitsubishi Shindoh Co., LTD. RIDGID® is a registered trademark of RIDGID, Inc. LoopCAD® is a registered trademark of Avenir Software Inc. Radel® R is a registered trademark of Solvay Advanced Polymers, LLC. LEED® is a registered trademark of the U.S. Green Building Council®.

## MEGAPRESS® 3-PIECE BALL VALVE

In the world of maintenance and repair, time is money. Viega MegaPress® 3-piece ball valves save you both. The 3-piece design available up to 4" uses a 316 stainless body and allows for fast and easy maintenance of internal components, an ISO 5211 mounting pad ready for actuation, and standard locking metal handle which make it a great fit for Food and Beverage needs.



**SCAN**  
WITH PHONE  
TO LEARN MORE

**Viega LLC**  
585 Interlocken Blvd  
Broomfield, CO 80021  
USA

Phone (800) 976-9819  
[viega.us](http://viega.us)

**viega**