

Dimensional Document

Viega ProPress® Stainless




This document is subject to updates. For the most current Viega technical literature, please visit www.viega.us.




Viega products are designed to be installed by licensed and trained plumbing and mechanical professionals who are familiar with Viega products and their installation. **Installation by non-professionals may void Viega LLC's warranty.**

ProPress Stainless Tubing – Model 4003




Part No.	Size (in)	O.D. (in)	I.D. (in)	Wall Thickness (in)	Length (ft)
316					
82000	½	0.63	0.50	0.06	20
82005	¾	0.88	0.75	0.06	20
82010	1	1.13	1.00	0.06	20
82015	1¼	1.38	1.26	0.06	20
82020	1½	1.63	1.50	0.06	20
82025	2	2.13	2.00	0.06	20

ProPress Stainless Tubing – Model 4007XL




Part No.	Size (in)	O.D. (in)	I.D. (in)	Wall Thickness (in)	Length (ft)
316					
82042	2½	2.63	2.47	0.08	20
82050	3	3.13	2.97	0.08	20
82055	4	4.13	3.97	0.08	20

ProPress 316 ECO Tubing – Models 4008 / 4008XL




Part No.	Size (in)	O.D. (in)	I.D. (in)	Wall Thickness (in)	Length (ft)
316					
82150	½	0.63	0.55	0.04	20
82155	¾	0.88	0.78	0.05	20
82160	1	1.13	1.03	0.05	20
82165	1¼	1.38	1.26	0.06	20
82170	1½	1.63	1.51	0.06	20
82175	2	2.13	2.01	0.06	20
82180	2½	2.63	2.47	0.08	20
82185	3	3.13	2.97	0.08	20
82190	4	4.13	3.97	0.08	20

ProPress Stainless 90° Elbow P x P – Model 4016




Part No.	Size (in)	A (in)		L (in)	
316	1	Dec	Frac	Dec	Frac
80400	½	1.12	1⅛	1.87	1⅞
80405	¾	1.73	1¾	2.64	2⅝
80410	1	1.87	1⅞	2.78	2¾
80415	1¼	1.65	1⅝	2.69	2⅞ ₁₆
80420	1½	1.98	2	3.41	3⅞ ₁₆
80425	2	2.55	2⅞ ₁₆	4.14	4⅞

ProPress Stainless 90° Elbow P x P – Model 4016XL




Part No.	Size (in)	A (in)		L (in)	
316	1 1	Dec	Frac	Dec	Frac
80430	2½ x 2½	3.19	3¾ ₁₆	4.88	4⅞ ₈
80435	3 x 3	3.76	3¾	5.73	5¾
80440	4 x 4	4.86	4⅞ ₈	7.22	7¼

ProPress Stainless 90° Elbow FTG x P – Model 4016.1




Part No.	Size (in)	A (in)		L (in)		L1 (in)	
316	1	Dec	Frac	Dec	Frac	Dec	Frac
80490	½	1.12	1⅛	1.87	1⅞	1.99	2
80495	¾	1.45	1⅞	2.35	2⅞	3.03	3
80500	1	1.87	1⅞	2.78	2¾	3.27	3¼
80505	1¼	1.65	1⅝	2.69	2⅞	2.76	2¾
80510	1½	1.98	2	3.41	3⅞	3.48	3½
80515	2	2.55	2⅞	4.14	4⅞	4.20	4⅞

ProPress Stainless 90° Street Elbow P x FTG – Model 4016.1XL




Part No.	Size (in)		A (in)		L (in)		L1 (in)	
	316	1 1	Dec	Frac	Dec	Frac	Dec	Frac
80520	2½ x 2½		3.19	3¾	4.88	4⅞	4.80	4⅜
80525	3 x 3		3.76	3¾	5.73	5¾	5.63	5⅝
80530	4 x 4		4.86	4⅞	7.22	7¼	7.13	7⅞

ProPress Stainless 45° Elbow P x P – Model 4026




Part No.	Size (in)		A (in)		L (in)	
	316	1	Dec	Frac	Dec	Frac
80445		½	0.57	9/16	1.32	1⅝
80450		¾	0.87	7/8	1.77	1¾
80455		1	0.89	7/8	1.79	1⅜
80460		1¼	0.69	11/16	1.72	1¾
80465		1½	0.82	13/16	2.25	2¼
80470		2	1.06	1⅛	2.64	2⅝

ProPress Stainless 45° Elbow P x P – Model 4026XL




Part No.	Size (in)		A (in)		L (in)	
	316	1 1	Dec	Frac	Dec	Frac
80475	2½ x 2½		1.48	1½	3.18	3¾
80480	3 x 3		1.73	1¾	3.70	3⅜
80485	4 x 4		2.19	2¾	4.55	4⅞


ProPress Stainless 45° Elbow FTG x P – Model 4026.1




Part No.	Size (in)		A (in)		L (in)		L1 (in)	
	316	1	Dec	Frac	Dec	Frac	Dec	Frac
80535		½	0.57	9/16	1.32	1⅝	1.46	1⅞
80540		¾	0.69	11/16	1.59	1⅞	2.27	2¼
80545		1	0.89	7/8	1.79	1⅜	2.28	2¼
80550		1¼	0.69	11/16	1.72	1¾	1.79	1⅜
80555		1½	0.82	13/16	2.25	2¼	2.32	2⅝
80560		2	1.06	1⅛	2.64	2⅝	2.71	2⅞

ProPress Stainless 45° Street Elbow P x FTG – Model 4026.1XL


Part No.	Size (in)		A (in)		L (in)		L1 (in)	
	316	1 1	Dec	Frac	Dec	Frac	Dec	Frac
80565		2½ x 2½	1.48	1½	3.18	3¾	3.10	3⅛
80570		3 x 3	1.73	1¾	3.70	3⅞	3.60	3⅝
80575		4 x 4	2.19	2¾	4.55	4⅞	4.45	4⅞


ProPress Stainless Tee P x P x P – Model 4018


Part No.	Size (in)		A (in)		A1 (in)		L (in)		L1 (in)	
	316	1	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
80580		½	0.75	¾	0.87	7/8	1.50	1½	1.61	1⅝
80585		¾	0.96	15/16	0.96	15/16	1.86	1⅞	1.86	1⅞
80590		1	1.13	1⅛	1.18	1¾	2.04	2⅛	2.09	2⅛
80595		1¼	1.04	1⅞	1.05	1⅞	2.08	2⅞	2.07	2⅞
80600		1½	1.26	1¾	1.22	1¾	2.69	2⅞	2.65	2⅞
80605		2	1.54	1⅞	1.53	1½	3.12	3⅞	3.11	3⅞

ProPress Stainless Tee P x P x P – Model 4018



Part No.	Size (in)			A (in)		A1 (in)		L (in)		L1 (in)		
	316	1	2	3	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
80630		¾	x ¾	x ½	0.96	15/16	0.98	1	1.86	1⅞	1.73	1¾
80640		1	x 1	x ½	1.13	1⅞	1.13	1⅞	2.04	2⅞	1.88	1⅞
80650		1	x 1	x ¾	1.13	1⅞	1.10	1⅞	2.04	2⅞	2.01	2
80660		1¼	x 1¼	x ½	0.75	¾	1.28	1¼	1.78	1¾	2.03	2
80670		1¼	x 1¼	x ¾	0.83	13/16	1.25	1¼	1.86	1⅞	2.16	2¾
80680		1¼	x 1¼	x 1	1.04	1⅞	1.33	1⅞	2.08	2⅞	2.24	2¼
80690		1½	x 1½	x ½	1.26	1¼	1.39	1⅞	2.69	2⅞	2.14	2⅞
80700		1½	x 1½	x ¾	1.26	1¼	1.37	1⅞	2.69	2⅞	2.27	2¼
80710		1½	x 1½	x 1	1.26	1¼	1.44	1⅞	2.69	2⅞	2.35	2¾
80720		2	x 2	x ½	0.71	1⅞	1.65	1⅞	2.30	2⅞	2.40	2¾
80730		2	x 2	x ¾	0.71	1⅞	1.63	1⅞	2.30	2⅞	2.53	2½
80740		2	x 2	x 1	0.83	13/16	1.70	1⅞	2.41	2⅞	2.61	2⅞
80750		2	x 2	x 1½	1.15	1⅞	1.49	1½	2.73	2¾	2.91	2⅞

ProPress Stainless Tee P x P x P – Model 4018XL




Part No.	Size (in)			A1 (in)		A2 (in)		A3 (in)		L1 (in)		L2 (in)		L3 (in)	
	1	2	3	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
80753	2½	2	1½	1.30	15/16	2.37	23/8	1.74	1¾	2.99	3	3.96	315/16	3.17	33/16
80752	2½	2	2	1.54	19/16	2.69	211/16	1.78	1¾	3.23	3¼	4.27	4¼	3.37	33/8
80751	2½	2½	1½	1.30	15/16	1.30	15/16	1.74	1¾	2.99	3	2.99	3	3.17	33/16
80760	2½	2½	2	1.54	19/16	1.54	19/16	1.78	1¾	3.23	3¼	3.23	3¼	3.37	33/8
80610	2½	2½	2½	1.83	113/16	1.83	113/16	1.87	17/8	3.52	3½	3.52	3½	3.56	33/8
80782	3	3	1¼	1.24	1¼	1.24	1¼	1.96	115/16	3.21	33/16	3.21	33/16	2.99	3
80781	3	3	1½	1.32	15/16	1.32	15/16	2.00	2	3.29	35/16	3.29	35/16	3.43	37/16
80770	3	3	2	1.56	19/16	1.56	19/16	2.04	21/16	3.52	3½	3.52	3½	3.62	35/8
80780	3	3	2½	1.85	17/8	1.85	17/8	2.13	21/8	3.82	313/16	3.82	313/16	3.82	313/16
80615	3	3	3	2.07	21/16	2.07	21/16	2.15	21/8	4.04	41/16	4.04	41/16	4.11	41/8
80791	4	4	1½	1.36	13/8	1.36	13/8	2.51	2½	3.72	3¾	3.72	3¾	3.94	315/16
80790	4	4	2	1.59	19/16	1.59	19/16	2.55	29/16	3.96	315/16	3.96	315/16	4.13	41/8
80800	4	4	2½	1.89	17/8	1.89	17/8	2.64	25/8	4.25	4¼	4.25	4¼	4.33	45/16
80810	4	4	3	2.11	21/8	2.11	21/8	2.66	211/16	4.47	4½	4.47	4½	4.63	45/8
80620	4	4	4	2.60	25/8	2.60	25/8	2.66	211/16	4.96	415/16	4.96	415/16	5.02	5

ProPress Stainless Reducing Tee P x P x FPT – Model 4017.2




Part No.	Size (in)			A (in)		A1 (in)		L (in)		L1 (in)	
	1	2	3	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
80820	¾	¾	½ FPT	0.96	15/16	1.26	1¼	1.86	17/8	0.76	¾
80830	¾	¾	¾ FPT	0.96	15/16	1.34	15/16	1.86	17/8	0.78	¾
80840	1	1	½ FPT	1.13	11/8	1.41	17/16	2.04	21/16	0.87	7/8
80850	1	1	¾ FPT	1.13	11/8	1.48	1½	2.04	21/16	0.93	15/16
80860	1¼	1¼	½ FPT	0.75	¾	1.56	19/16	1.78	1¾	1.02	1
80870	1¼	1¼	¾ FPT	0.83	13/16	1.63	15/8	1.86	17/8	1.08	11/16
80880	1¼	1¼	1 FPT	1.04	11/16	1.75	1¾	2.08	21/16	1.09	11/16
80890	1½	1½	½ FPT	1.26	1¼	1.67	111/16	2.69	211/16	1.13	11/8
80900	1½	1½	¾ FPT	1.26	1¼	1.75	1¾	2.69	211/16	1.19	13/16
80910	1½	1½	1 FPT	1.26	1¼	1.87	17/8	2.69	211/16	1.20	13/16
80920	2	2	½ FPT	0.71	11/16	1.93	115/16	2.30	25/16	1.39	13/8
80930	2	2	¾ FPT	0.71	11/16	2.01	2	2.30	25/16	1.45	17/16
80940	2	2	1 FPT	0.83	13/16	2.13	21/8	2.41	27/16	1.50	1½

ProPress Stainless Reducing Tee P x P x FPT – Model 4017.2XL




Part No.	Size (in)			A1 (in)		A2 (in)		L1 (in)		L2 (in)	
	1	2	3	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
80950	2½	2½	¾	1.02	1	1.73	1¾	2.72	2¾	2.28	2¼
80960	2½	2½	1	1.02	1	1.74	1¾	2.72	2¾	2.38	23/8
80970	3	3	¾	1.04	11/16	1.98	2	3.01	3	2.54	29/16
80980	3	3	1	1.04	11/16	1.98	2	3.01	3	2.64	25/8
80990	4	4	¾	1.08	11/16	2.50	2½	3.44	37/16	3.05	31/16
81000	4	4	1	1.08	11/16	2.49	2½	3.44	37/16	3.15	31/8

ProPress Stainless Cross P x P x FPT x FPT – Model 4044.2XL




Part No.	Size (in)			A1 (in)		A2 (in)		L1 (in)		L2 (in)	
	1	2	3	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
80067	2½	2½	¾	1.02	1	1.73	1¾	2.62	2⅝	2.28	2¼
80069	3	3	¾	1.04	1⅛	1.98	2	3.01	3	2.54	2⅞
80068	4	4	¾	1.08	1⅛	2.50	2½	3.44	3⅞	3.05	3⅛

ProPress Stainless Adapter P x MPT – Model 4011




Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
80010	½	½	1.37	1⅜	2.11	2⅛
80015	½	¾	1.44	1⅞	2.19	2⅜
80020	¾	½	1.42	1⅞	2.32	2⅝
80025	¾	¾	1.46	1⅞	2.36	2⅜
80030	¾	1	1.71	1⅞	2.62	2⅝
80035	1	¾	1.47	1½	2.37	2⅜
80040	1	1	1.74	1¾	2.65	2⅝
80045	1¼	1¼	1.89	1⅞	2.92	2⅝
80050	1½	1½	1.94	1⅞	3.37	3⅜
80055	2	2	2.10	2⅞	3.68	3⅞

ProPress Stainless Adapter P x MPT – Model 4011XL




Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
80060	2½	2½	2.99	3	4.69	4⅞
80065	3	3	3.09	3⅞	5.06	5⅞
80070	4	4	3.13	3⅞	5.49	5½

ProPress Stainless Adapter P x FPT – Model 4012




Part No. 316	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
80080	1/2 x 1/2 FPT		0.54	9/16	1.82	1 13/16
80085	3/4 x 1/2 FPT		0.51	1/2	1.95	1 15/16
80090	3/4 x 3/4 FPT		0.57	9/16	2.03	2
80092	1 x 1/2 FPT		0.62	5/8	2.06	2 1/16
80095	1 x 3/4 FPT		0.62	5/8	2.08	2 1/16
80100	1 x 1 FPT		0.61	5/8	2.18	2 3/16
80105	1 1/4 x 1 1/4 FPT		0.62	5/8	2.33	2 5/16
80110	1 1/2 x 1 1/4 FPT		0.69	1 1/16	2.80	2 13/16
80115	1 1/2 x 1 1/2 FPT		0.69	1 1/16	2.80	2 13/16
80075	2 x 1 FPT		0.75	3/4	2.99	3
80120	2 x 1 1/2 FPT		0.73	3/4	2.99	3
80125	2 x 2 FPT		0.71	1 1/16	2.99	3

ProPress 316 Instrument Adapter – Model 4012.5




Part No. 316	Size (in)		L (in)		L1 (in)	
	FPT x FTG		Dec	Frac	Dec	Frac
80126	1/2 x 1/2		4.06	4 1/16	3.52	3 1/2
80127	3/4 x 3/4		3.94	3 15/16	3.38	3 3/8

ProPress Stainless Adapter BW (IPS) x FTG – Model 4013.1XL




Part No. 316	Size (in)		A (in)		L (in)	
	1 (IPS)	2 (CTS)	Dec	Frac	Dec	Frac
80081	2 1/2 ID	2 1/2 OD	2.32	2 5/16	4.37	4 3/8
80082	3 ID	3 OD	2.60	2 5/8	4.57	4 9/16
80083	4 ID	4 OD	2.99	3	5.16	5 3/16

ProPress Stainless Adapter Groove x P – Model 4013.2XL




Part No. 316	Size (in)		A (in)		L (in)	
	1 G (IPS)	2	Dec	Frac	Dec	Frac
80064	2 1/2	2 1/2	2.64	2 5/8	4.33	4 5/16
80061	3	3	2.66	2 11/16	4.63	4 5/8
80063	4	4	2.66	2 11/16	5.02	5

ProPress Stainless Adapter Flange P x Flange – Model 4059




Part No.	Size (in)	b (in)		A (in)		L (in)		k (in)		D (in)		d2 (in)	
		Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
81035	1/2	0.46	7/16	1.72	1 3/4	2.46	2 7/16	2.36	2 3/8	3.54	3 9/16	0.63	5/8
81040	3/4	0.52	1/2	1.66	1 11/16	2.57	2 9/16	2.76	2 3/4	3.94	3 15/16	0.63	5/8
81045	1	0.58	9/16	1.60	1 5/8	2.51	2 1/2	3.11	3 1/8	4.33	4 5/16	0.63	5/8
81050	1 1/4	0.64	5/8	1.66	1 11/16	2.69	2 11/16	3.50	3 1/2	4.53	4 1/2	0.63	5/8
81055	1 1/2	0.70	11/16	1.41	1 7/16	2.83	2 13/16	3.86	3 7/8	4.92	4 15/16	0.63	5/8
81060	2	0.77	3/4	2.30	2 5/16	3.86	3 7/8	4.76	4 3/4	5.91	5 15/16	0.75	3/4

ProPress Stainless Adapter Flange P x Flange – Model 4059XL




Part No.	Size (in)	b (in)		A (in)		L (in)		k (in)		D (in)		d2 (in)	
		Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
81065	2 1/2	0.89	7/8	1.35	1 3/8	3.04	3 1/16	5.51	5 1/2	7.09	7 1/16	0.75	3/4
81070	3	0.96	15/16	1.39	1 3/8	3.40	3 3/8	5.98	6	7.48	7 1/2	0.75	3/4
81075	4	0.96	15/16	1.40	1 3/8	3.77	3 3/4	7.52	7 1/2	9.06	9 1/16	0.75	3/4


ProPress Stainless Cap P – Model 4056




Part No.	Size (in)	A (in)		L (in)	
		Dec	Frac	Dec	Frac
80355	1/2	0.70	1 1/16	0.82	13/16
80360	3/4	0.93	1 5/16	1.04	1 1/16
80365	1	0.94	1 5/16	1.06	1 1/16
80370	1 1/4	1.04	1 1/16	1.20	1 3/16
80375	1 1/2	1.44	1 7/16	1.59	1 9/16
80380	2	1.59	1 9/16	1.74	1 3/4

ProPress Stainless Cap P – Model 4056.1XL



Part No.	Size (in)	A (in)		L (in)	
		Dec	Frac	Dec	Frac
80385	1	1.69	11 ¹¹ / ₁₆	3.01	3
80390	2	1.97	2	3.33	3 ⁵ / ₁₆
80395	3	2.36	2 ³ / ₈	3.72	3 ³ / ₄

ProPress Stainless Union P x P – Model 4060


Part No.	Size (in)	A (in)		L (in)	
		Dec	Frac	Dec	Frac
81005	1/2	1.87	1 ⁷ / ₈	3.37	3 ³ / ₈
81010	3/4	1.89	1 ⁷ / ₈	3.70	3 ¹¹ / ₁₆
81015	1	2.25	2 ¹ / ₄	4.06	4 ¹ / ₁₆
81020	1 1/4	2.25	2 ¹ / ₄	4.31	4 ⁵ / ₁₆
81025	1 1/2	2.68	2 ¹¹ / ₁₆	5.53	5 ¹ / ₂
81030	2	2.95	2 ¹⁵ / ₁₆	6.12	6 ¹ / ₈


ProPress 316 Dielectric Union P x FPT – Model 4067


Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
80071	1/2 x 1/2	FPT	1.28	1 ¹ / ₄	2.57	2 ⁹ / ₁₆
80078	3/4 x 3/4	FPT	1.39	1 ³ / ₈	2.85	2 ⁷ / ₈
80073	1 x 1	FPT	1.25	1 ¹ / ₄	2.81	2 ¹³ / ₁₆
80074	1 1/4 x 1 1/4	FPT	1.33	1 ⁵ / ₁₆	3.04	3 ¹ / ₁₆
80076	1 1/2 x 1 1/2	FPT	1.54	1 ⁹ / ₁₆	3.64	3 ⁵ / ₈
80077	2 x 2	FPT	1.72	1 ³ / ₄	4.00	4

ProPress Stainless Coupling with Stop P x P – Model 4015



Part No.	Size (in)	A (in)		L (in)	
		Dec	Frac	Dec	Frac
80265	1/2	0.35	3/8	1.85	1 ⁷ / ₈
80270	3/4	0.43	7/16	2.24	2 ¹ / ₄
80275	1	0.39	3/8	2.20	2 ³ / ₁₆
80280	1 1/4	0.47	1/2	2.54	2 ⁹ / ₁₆
80285	1 1/2	0.36	3/8	3.21	3 ³ / ₁₆
80290	2	0.47	1/2	3.64	3 ⁵ / ₈

ProPress Stainless Coupling with Stop P x P – Model 4015XL




Part No.	Size (in)		A (in)		L (in)	
	1	1	Dec	Frac	Dec	Frac
80295	2½	2½	0.95	15/16	4.33	45/16
80300	3	3	0.98	1	4.92	415/16
80305	4	4	1.06	11/16	5.79	513/16

ProPress Stainless Coupling No Stop P x P – Model 4015.5




Part No.	Size (in)		L (in)	
	1	Dec	Frac	
80310	½	1.87	17/8	
80315	¾	2.27	2¼	
80320	1	2.19	23/16	
80325	1¼	2.54	29/16	
80330	1½	3.27	3¼	
80335	2	3.66	311/16	

ProPress Stainless Coupling No Stop P x P – Model 4015.5XL




Part No.	Size (in)		L (in)	
	1	1	Dec	Frac
80340	2½	2½	4.33	45/16
80345	3	3	4.92	415/16
80350	4	4	5.79	513/16


ProPress Stainless Reducer FTG x P – Model 4015.1




Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
80160	¾	1½	1.54	19/16	2.28	2¼
80165	1	1½	1.84	113/16	2.59	29/16
80170	1	¾	1.56	19/16	2.46	27/16
80175	1¼	1½	2.25	2¼	3.00	3
80180	1¼	¾	1.93	115/16	2.83	213/16
80185	1¼	1	1.81	113/16	2.72	2¾
80190	1½	1½	3.03	3	3.78	3¾
80195	1½	¾	2.64	25/8	3.54	39/16
80200	1½	1	2.50	2½	3.41	37/16
80205	1½	1¼	2.26	2¼	3.29	35/16
80210	2	1½	3.75	3¾	4.50	4½
80215	2	¾	3.48	3½	4.39	43/8
80220	2	1	3.08	31/16	3.99	4
80225	2	1¼	2.94	215/16	3.97	4
80230	2	1½	2.59	29/16	4.02	4

ProPress Stainless Reducer FTG x P – Model 4015.1XL

Part No.	Size (in)		A (in)		L (in)	
	1	2	Dec	Frac	Dec	Frac
80235	2½	x 2	2.85	27⁄8	4.43	47⁄16
80240	3	x 2	3.38	33⁄8	4.96	415⁄16
80245	3	x 2½	3.21	33⁄16	4.90	47⁄8
80250	4	x 2	4.26	4¼	5.85	57⁄8
80255	4	x 2½	4.09	41⁄16	5.79	513⁄16
80260	4	x 3	3.88	37⁄8	5.85	57⁄8

ProPress to MegaPress Transition Coupling, Stainless Steel, P x P – Model 5113

Part No.	Size (in)		A (in)		L (in)	
	1 (IPS)	2 (CTS)	Dec	Frac	Dec	Frac
90465	½	x ½	1.07	11⁄16	2.93	215⁄16
90470	¾	x ¾	1.07	11⁄16	3.17	33⁄16
90475	1	x 1	1.11	11⁄8	3.40	33⁄8
90890	1¼	x 1¼	1.11	11⁄8	4.00	4
90485	1½	x 1½	1.21	13⁄16	4.55	49⁄16
90490	2	x 2	1.23	1¼	4.82	413⁄16

ProPress 316 Ball Valve P x P – Model 4070

Part No.	Size (in)	A (in)		L (in)		B (in)		C (in)	
		Dec	Frac	Dec	Frac	Dec	Frac	Dec	Frac
81080	½	2.06	21⁄16	3.56	39⁄16	5.55	59⁄16	2.44	27⁄16
81085	¾	2.42	27⁄16	4.23	4¼	5.55	59⁄16	2.52	2½
81090	1	2.76	2¾	4.59	49⁄16	5.55	59⁄16	2.68	211⁄16
81095	1¼	3.17	33⁄16	5.23	5¼	6.10	61⁄8	3.09	31⁄16
81100	1½	3.65	35⁄8	6.50	6½	6.10	61⁄8	3.34	35⁄16
81105	2	4.15	41⁄8	7.32	75⁄16	6.10	61⁄8	3.66	311⁄16